

**Product Name: Quali-Pro Crest Herbicide** Page: 1 of 6

Telephone (02)9431 7800 (office hours)

Emergency 1800 033 111 (24 hours)

This version issued: February, 2024

Fax (02)9431 7700

### Section 1 - Identification of The Material and Supplier

Adama Australia Pty Ltd,

Level 1, Building B

207 Pacific Highway St Leonards, NSW 2065

ACN 050 328 973

Chemical nature:

Fluroxypyr and Florasulam in a suitable solvent system.

**Trade Name: Quali-Pro Crest Herbicide** 

**Product Use:** Agricultural herbicide for use as described on the product label.

**Creation Date:** August, 2017

This version issued: **February**, **2024** and is valid for 5 years from this date. Poisons Information Centre: Phone 13 1126 from anywhere in Australia

### Section 2 - Hazards Identification

Statement of Hazardous Nature

SUSMP Classification: S5

ADG Classification: Class 9: Miscellaneous Dangerous Goods.

UN Number: 3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Fluroxypyr, Florasulam).



### **GHS Signal word: WARNING**

Flammable liquids Category 4

Skin Corrosion /Irritation Category 2

Serious eye damage/eye irritation Category 2/2A

Specific Target Organ Toxicity - Single Exposure Category 3

Hazardous to aquatic environment Short term/Chronic Category 1

#### **HAZARD STATEMENT:**

H227: Combustible liquid.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

H336: May cause drowsiness or dizziness.

H410: Very toxic to aquatic life with long lasting effects.

#### **PREVENTION**

P102: Keep out of reach of children.

P210: Keep away from heat, sparks, open flames and hot surfaces. - No smoking.

P261: Avoid breathing fumes, mists, vapours or spray.

P262: Do not get in eyes, on skin, or on clothing.

P271: Use only outdoors or in a well ventilated area.

P273: Avoid release to the environment.

P280: Wear protective gloves, protective clothing and eye or face protection.

#### **RESPONSE**

P312: Call a POISON CENTRE or doctor if you feel unwell.

P362: Take off contaminated clothing and wash before reuse.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313: If skin irritation occurs: Get medical advice.

P337+P313: If eye irritation persists: Get medical advice.

P391: Collect spillage.

P370+P378: In case of fire, use carbon dioxide, dry chemical, foam, water fog. Alcohol resistant foam is the preferred firefighting medium but, if it is not available, normal foam can be used.

### SAFETY DATA SHEET

Issued by: Adama Australia Pty Ltd

Phone: (02)9431 7800 (office hours)

Poisons Information Centre: 13 1126 from anywhere in Australia, (0800 764 766 in New Zealand)

Product Name: Quali-Pro Crest Herbicide

Page: 2 of 6 This revision issued: February, 2024

#### **STORAGE**

P410: Protect from sunlight.

P402+P404: Store in a dry place. Store in a closed container.

P403+P235: Store in a well-ventilated place. Keep cool.

DISPOSAL

P501: Dispose of contents and containers as specified on the registered label.

### **Emergency Overview**

Physical Description & colour: Off-white liquid.

Odour: Characteristic odour.

Major Health Hazards: irritating to eyes and respiratory system, respiratory tract irritant.

#### Section 3 - Composition/Information on Ingredients Ingredients CAS No Conc,% TWA (mg/m<sup>3</sup>) STEL (mg/m<sup>3</sup>) 145701-23-1 2.5g/L Florasulam not set not set Fluroxypyr (as 1-methylhepty ester) 81406-37-3 100g/L not set not set Liquid hydrocarbon 300-400q/L not set not set Other non hazardous ingredients to 100 secret not set not set

This is a commercial product whose exact ratio of components may vary slightly. Minor quantities of other non hazardous ingredients are also possible.

The SWA TWA exposure value is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. The STEL (Short Term Exposure Limit) is an exposure value that may be equalled (but should not be exceeded) for no longer than 15 minutes and should not be repeated more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The term "peak "is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly.

### Section 4 - First Aid Measures

### **General Information:**

You should call The Poisons Information Centre if you feel that you may have been poisoned, burned or irritated by this product. The number is 13 1126 from anywhere in Australia (0800 764 766 in New Zealand) and is available at all times. Have this SDS with you when you call.

**Inhalation:** If irritation occurs, contact a Poisons Information Centre, or call a doctor. Remove source of contamination or move victim to fresh air. If breathing is difficult, oxygen may be beneficial if administered by trained personnel, preferably on a doctor's advice. In severe cases, symptoms of pulmonary oedema can be delayed up to 48 hours after exposure.

**Skin Contact:** Wash gently and thoroughly with water (use non-abrasive soap if necessary) for 5 minutes or until chemical is removed.

**Eye Contact:** Immediately flush the contaminated eye(s) with lukewarm, gently flowing water for 15 minutes or until the product is removed, while holding the eyelid(s) open. Take care not to rinse contaminated water into the unaffected eye or onto the face. Obtain medical attention immediately. Take special care if exposed person is wearing contact lenses.

**Ingestion:** If product is swallowed or gets in mouth, do NOT induce vomiting; wash mouth with water and give some water to drink. If symptoms develop, or if in doubt contact a Poisons Information Centre or a doctor.

# **Section 5 - Fire Fighting Measures**

**Fire and Explosion Hazards**: The major hazard in fires is usually inhalation of heated and toxic or oxygen deficient (or both), fire gases. There is little risk of an explosion from this product if commercial quantities are involved in a fire. Violent steam generation or eruption may occur upon application of direct water stream on hot liquids. Vapours from this product are heavier than air and may accumulate in sumps, pits and other low-lying spaces, forming potentially explosive mixtures. They may also flash back considerable distances.

Fire decomposition products from this product are likely to be toxic and corrosive if inhaled. Take appropriate protective measures.

**Extinguishing Media:** In case of fire, use carbon dioxide, dry chemical, foam, water fog. Alcohol resistant foam is the preferred firefighting medium but, if it is not available, normal foam can be used. Try to contain spills, minimise spillage entering drains or water courses.

**Fire Fighting:** If a significant quantity of this product is involved in a fire, call the fire brigade. There is little danger of a violent reaction or explosion if significant quantities of this product are involved in a fire. Recommended personal protective equipment is full fire kit and breathing apparatus.

Flammability Class: Flammable Category 4 (GHS), C1 combustible (AS 1940)

#### **SAFETY DATA SHEET**

Issued by: Adama Australia Pty Ltd Phone: (02)9431 7800 (office hours)

Product Name: Quali-Pro Crest Herbicide Page: 3 of 6

This revision issued: February, 2024

### Section 6 - Accidental Release Measures

Accidental release: In the event of a major spill, prevent spillage from entering drains or water courses. Immediately call the Fire Brigade. Wear full protective clothing including eye/face protection. All skin areas should be covered. See below under Personal Protection regarding Australian Standards relating to personal protective equipment. Suitable materials for protective clothing include rubber, PVC, Viton, Nitrile. Eye/face protective equipment should comprise as a minimum, protective goggles. If there is a significant chance that vapours or mists are likely to build up in the cleanup area, we recommend that you use a respirator. Usually, no respirator is necessary when using this product. However, if you have any doubts consult the Australian Standard mentioned below (section 8). Stop leak if safe to do so, and contain spill. Absorb onto sand, vermiculite or other suitable absorbent material. If spill is too large or if absorbent material is not available, try to create a dike to stop material spreading or going into drains or waterways. Because of the environmentally hazardous nature of this product, special care should be taken to restrict release to waterways or drains. Sweep up and shovel or collect recoverable product into labelled containers for recycling or salvage, and dispose of promptly. Recycle containers wherever possible after careful cleaning. Refer to product label for specific instructions. After spills, wash area preventing runoff from entering drains. If a significant quantity of material enters drains, advise emergency services. Full details regarding disposal of used containers, spillage and unused material may be found on the label. If there is any conflict between this SDS and the label, instructions on the label prevail. Ensure legality of disposal by consulting regulations prior to disposal. Thoroughly launder protective clothing before storage or re-use. Advise laundry of nature of contamination when sending contaminated clothing to laundry.

### **Section 7 - Handling and Storage**

**Handling:** Keep exposure to this product to a minimum, and minimise the quantities kept in work areas. Check Section 8 of this SDS for details of personal protective measures, and make sure that those measures are followed. The measures detailed below under "Storage" should be followed during handling in order to minimise risks to persons using the product in the workplace. Also, avoid contact or contamination of product with incompatible materials listed in Section 10.

**Storage:** This product is a Scheduled Poison. Observe all relevant regulations regarding sale, transport and storage of this schedule of poison. Check packaging - there may be further storage instructions on the label.

### **Section 8 - Exposure Controls and Personal Protection**

The following Australian Standards will provide general advice regarding safety clothing and equipment:

Respiratory equipment: **AS/NZS 1715**, Protective Gloves: **AS 2161**, Occupational Protective Clothing: AS/NZS 4501 set 2008, Industrial Eye Protection: **AS1336** and **AS/NZS 1337**, Occupational Protective Footwear: **AS/NZS2210**.

### SWA Exposure Limits TWA (mg/m³) STEL (mg/m³)

Exposure limits have not been established by SWA for any of the significant ingredients in this product.

No special equipment is usually needed when occasionally handling small quantities. The following instructions are for bulk handling or where regular exposure in an occupational setting occurs without proper containment systems. **Ventilation:** This product should only be used in a well ventilated area. If natural ventilation is inadequate, use of a

fan is suggested. **Eye Protection:** Protective glasses or goggles should be worn when this product is being used. Failure to protect your eyes may cause them harm. Emergency eye wash facilities are also recommended in an area close to where

this product is being used.

Skin Protection: If you believe you may have a sensitisation to this product or any of its declared ingredients, you should prevent skin contact by wearing impervious gloves, clothes and, preferably, apron. Make sure that all skin

areas are covered. See below for suitable material types. **Protective Material Types:** We suggest that protective clothing be made from the following materials: rubber,

PVC, Viton, nitrile. **Respirator:** Usually, no respirator is necessary when using this product. However, if you have any doubts consult the Australian Standard mentioned above.

Safety deluge showers should, if practical, be provided near to where this product is being handled commercially.

### Section 9 - Physical and Chemical Properties:

Physical Description & colour: Off-white liquid.
Odour: Off-white liquid.
Characteristic odour.

Boiling Point:

Flash point:

Upper Flammability Limit:

Lower Flammability Limit:

Autoignition temperature:

Not available.
60.6°C

No data.

No data.

**Freezing/Melting Point:** No specific data. Liquid at normal temperatures.

### **SAFETY DATA SHEET**

Issued by: Adama Australia Pty Ltd Phone: (02)9431 7800 (office hours)

Poisons Information Centre: 13 1126 from anywhere in Australia, (0800 764 766 in New Zealand)

Product Name: Quali-Pro Crest Herbicide

Page: 4 of 6

This revision issued: February, 2024

Volatiles:
Vapour Pressure:
No data.
Vapour Density:
No data.
Specific Gravity:
Water Solubility:
Not applicable.
pH:
5-6 (1% solution)

Volatility: No data.
Odour Threshold: No data.
Evaporation Rate: No data.
Coeff Oil/water distribution: No data

Particle Characteristics: Not applicable to liquids.

Autoignition temp: No data.

### Section 10 - Stability and Reactivity

**Reactivity**: This product is unlikely to react or decompose under normal storage conditions. However, if you have any doubts, contact the supplier for advice on shelf life properties.

**Conditions to Avoid:** Protect this product from light. Store in the closed original container in a dry, cool, well-ventilated area out of direct sunlight.

**Incompatibilities:** No particular Incompatibilities.

**Fire Decomposition:** Combustion forms carbon dioxide, and if incomplete, carbon monoxide and possibly smoke. Water is also formed. May form nitrogen and its compounds, and under some circumstances, oxides of nitrogen. Occasionally hydrogen cyanide gas in reducing atmospheres. May form hydrogen fluoride gas and other compounds of fluorine. Carbon monoxide poisoning produces headache, weakness, nausea, dizziness, confusion, dimness of vision, disturbance of judgment, and unconsciousness followed by coma and death.

Polymerisation: Polymerisation reactions are unlikely; they are not expected to occur.

### **Section 11 - Toxicological Information**

### **Local Effects:**

**Target Organs:** There is no data to hand indicating any particular target organs.

Acute Oral LD<sub>50</sub>(Rat):> 5,000 mg/kg (F); 2,000 mg/kg (M) Acute Dermal LD<sub>50</sub> (Oral), Rat (Rabbit):> 5,000 mg/kg

Acute Inhalation LC<sub>50</sub> (Rat): > 10 mg/L (4-h) (based on the components)

Eye Irritation (Rabbit): May cause moderate eye irritation which may be slow to heal. May cause slight corneal injury. Vapour may cause eye irritation experienced as mild discomfort and redness.

Dermal Irritation (Rabbit):Brief contact may cause slight skin irritation with local redness. May cause drying and flaking of the skin.

Dermal Sensitization (Guinea pig): Has demonstrated the potential for contact allergy in mice.

### **Classification of Hazardous Ingredients**

Ingredient Health Hazard Statement Codes

Florasulam H410

- Hazardous to the aquatic environment (acute) category 1
- Hazardous to the aquatic environment (chronic) category 1

Fluroxypyr H410

- Hazardous to the aquatic environment (acute) category 1
- Hazardous to the aquatic environment (chronic) category 1

### **Potential Health Effects**

#### Inhalation:

**Short term exposure:** This product is an inhalation irritant. Symptoms may include headache, irritation of nose and throat and increased secretion of mucous in the nose and throat. Other symptoms may also become evident, but they should disappear after exposure has ceased if treatment is prompt.

Long Term exposure: No data for health effects associated with long term inhalation.

#### **Skin Contact:**

**Short term exposure:** Similar products have been reported to be sensitisers, however, testing indicates that this product does not cause sensitisation. Despite this, it may cause reactions in people with existing sensitisations. If you

### **SAFETY DATA SHEET**

Issued by: Adama Australia Pty Ltd Phone: (02)9431 7800 (office hours)

Poisons Information Centre: 13 1126 from anywhere in Australia, (0800 764 766 in New Zealand)

Product Name: Quali-Pro Crest Herbicide Page: 5 of 6

This revision issued: February, 2024

have previously experienced allergic reactions to products containing florasulam or fluroxypyr, avoid exposure to this product. In addition product may be irritating, but is unlikely to cause anything more than mild transient discomfort.

**Long Term exposure:** No data for health effects associated with long term skin exposure.

### Eye Contact:

**Short term exposure:** This product is an eye irritant. Symptoms may include stinging and reddening of eyes and watering which may become copious. Other symptoms may also become evident. If exposure is brief, symptoms should disappear once exposure has ceased. However, lengthy exposure or delayed treatment may cause permanent damage.

**Long Term exposure:** No data for health effects associated with long term eye exposure.

### Ingestion:

**Short term exposure:** Significant oral exposure is considered to be unlikely. Available data shows that this product is not harmful. However, this product may be irritating to mucous membranes but is unlikely to cause anything more than transient discomfort.

**Long Term exposure:** No data for health effects associated with long term ingestion.

### **Carcinogen Status:**

**SWA:** No significant ingredient is classified as carcinogenic by SWA. **NTP:** No significant ingredient is classified as carcinogenic by NTP. **IARC:** No significant ingredient is classified as carcinogenic by IARC.

### **Section 12 - Ecological Information**

Very toxic to aquatic organisms, may cause long-term adverse effects to the aquatic environment.

#### Data based on Fluroxypyr:

Rainbow trout LC<sub>50</sub> (96-h): >100 mg/L (Fluroxypyr).

>0.9 mg/L (Fluroxypyr-meptyl).

Daphnia magna EC<sub>50</sub> (48-h): >100mg/L (Fluroxypyr).

>0.9 mg/L (Fluroxypyr-meptyl).

Rainbow trout NOEC (21-d): 0.2 (Fluroxypyr-meptyl).

Daphnia magna NOEC (21-d): 0.1 mg/L (Fluroxypyr-meptyl).

Algae EC<sub>50</sub> (96-h): >100mg/L (Fluroxypyr).>0.9 (Fluroxypyr-meptyl).

#### Data Based on Florasulam:

Rainbow trout LC<sub>50</sub> (semi -static test, 96-h): > 100 mg/L

Daphnia magna EC<sub>50</sub> (immobilization, 48-h): > 100 mg/L

Duckweed EC<sub>50</sub> (Growth inhibition, cell density reduction, 14-d): 0.0413 mg/L

Green algae EbC<sub>50</sub> (static test, biomass growth inhibition, 72-h): 0.0611 mg/L

Mallard duck LD<sub>50</sub> (Oral), Rat (oral): > 2,250 mg/kg bodyweight.

Bees LD<sub>50</sub> (Oral), Rat (oral): > 70.25  $\mu$ g/bee ; LD <sub>50</sub> (contact): > 100  $\mu$ g/bee

Earthworms (LC<sub>50</sub>): > 1,033 mg/kg

# Section 13 - Disposal Considerations

**Disposal:** Special help is available for the disposal of Agricultural Chemicals. The product label will give general advice regarding disposal of small quantities, and how to cleanse containers. However, for help with the collection of unwanted rural chemicals, contact ChemClear 1800 008 182 http://www.chemclear.com.au/ and for help with the disposal of empty drums, contact DrumMuster http://www.drummuster.com.au/ where you will find contact details for your area.

# Section 14 - Transport Information

Not subject to the ADG Code when transported by Road or Rail in Australia, in packages 500kg(L) or less; or IBCs, but classed as Dangerous by IATA and IMDG/IMSBC when carried by Air or Sea transport (see details below).

UN Number: 3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S(Fluroxypyr, Florasulam).

Hazchem Code: •3Z

**Special Provisions:** 179, 274, 331, 335, AU01

Limited quantities: ADG 7 specifies a Limited Quantity value of 5 L for this class of product.

**Dangerous Goods Class:** Class 9: Miscellaneous Dangerous Goods.

Packing Group: Ⅲ

Packing Instruction: P001, IBC03, LP01

Class 9 Miscellaneous Dangerous Goods shall not be loaded in the same vehicle or packed in the same freight container with Dangerous Goods of Class 1 (Explosives).

### **SAFETY DATA SHEET**

Issued by: Adama Australia Pty Ltd Phone: (02)9431 7800 (office hours)

Product Name: Quali-Pro Crest Herbicide

Page: 6 of 6

This revision issued: February, 2024

### Section 15 - Regulatory Information

**AllC:** All of the significant ingredients in this formulation are compliant with AICIS regulations. The following ingredients: Florasulam, Liquid hydrocarbon, are mentioned in the SUSMP.

### **Section 16 - Other Information**

This SDS contains only safety-related information. For other data see product literature.

### **Contact Points:**

Call Adama on (02)9431 7800 and ask for the technical manager. Fax: (02)9431 7700

Police and Fire Brigade: Dial 000

Emergency contact: 1800 033 111 (24 hours)

If ineffective: Dial Poisons Information Centre

THIS SDS SUMMARISES OUR BEST KNOWLEDGE OF THE HEALTH AND SAFETY HAZARD INFORMATION OF THE PRODUCT AND HOW TO SAFELY HANDLE AND USE THE PRODUCT IN THE WORKPLACE. EACH USER MUST REVIEW THIS SDS IN THE CONTEXT OF HOW THE PRODUCT WILL BE HANDLED AND USED IN THE WORKPLACE.

(13 1126 from anywhere in Australia)

IF CLARIFICATION OR FURTHER INFORMATION IS NEEDED TO ENSURE THAT AN APPROPRIATE RISK ASSESSMENT CAN BE MADE, THE USER SHOULD CONTACT THIS COMPANY SO WE CAN ATTEMPT TO OBTAIN ADDITIONAL INFORMATION FROM OUR SUPPLIERS OUR RESPONSIBILITY FOR PRODUCTS SOLD IS SUBJECT TO OUR STANDARD TERMS AND CONDITIONS, A COPY OF WHICH IS SENT TO OUR CUSTOMERS AND IS ALSO AVAILABLE ON REQUEST.

Please read all labels carefully before using product.

This SDS is prepared in accord with the SWA document "Preparation of Safety Data Sheets for Hazardous Chemicals - Code of Practice" (July 2020) and GHS Revision 7

Copyright © Kilford & Kilford Pty Ltd, February, 2024.

http://www.kilford.com.au/ Phone (02)8321 8866