General Information

Divipan 100EC is an organophosphate that is highly volatile for the control of antestia bug, coffee berry borer leafminer, thrips and stem borer in coffee. **Mode of Action:** Divipan acts as both a contact and stomach poison.

Recommendation For Use

CROP	PEST	RATE	TIMING	P.H.I
Coffee	Antestia bug, cofee berry borer, leaf miner, mealy bugs, thrips and stem borer.	1.5L/ha, 150ml/100L of water 30ml/20L of water	At the onset of the first signs of infestation	7 days

RESISTANCE MANAGEMENT

To prevent risk of developing pest resistance, it is recommended that Divipan 100EC be alternated with products of different modes of action.

HAZARDS/ PRECAUTIONS

Wear protective clothing: overalls, footwear, gloves, and face shield when preparing and using the product. Do not eat, drink or smoke while using it. Avoid inhaling spray mist, contact with skin, eyes and clothing. Do not apply upwind and stay out of the spray mist.

After Work

Wash hands before breaks and at end of work. Change clothes and wash hands and face with soap and water thoroughly. Wash the spraying equipment and any contaminated clothing carefully.

Storage

Keep out of reach of children. Store in tightly closed original container in a cool dry and well ventilated place, under lock and key so that unauthorized persons do not have access. Keep away from food, drinks and animal feeds. Do not store near open flame.

Disposal

Tripple rinse the bottle and puncture or perforate it and dispose off in a landfill site approved for pesticides or burry away from water resources or return to stockist/Distributor. The rinsate should be disposed off away from surface water to avoid contamination. Do not re-use the empty container for any other purpose.

Leakage and spillage

Wear protective clothing. Use sand or sawdust to absorb the chemical and collect it using a shovel. Put in authorized disposing containers. Do not contaminate waterways and rivers. In case of large spills, consult the distributor.

WILDLIFE AND ENVIRONMENTAL PROTECTION

Divipan 100EC is toxic to fish, bees and wildlife. Do not contaminate streams, rivers or waterways with the chemical or used packs. Do not spray when bees are foraging. Keep off livestock and wildlife away from treated areas.

FIRST AID INSTRUCTIONS

If poisoning is suspected, contact the doctor, or Poisons Information Centre.

Skin contact: Take off clothing; wash the skin immediately with plenty of water and soap.

Eye contact: Hold the eye open and rinse thoroughly with running Water for 15 minutes.

If inhaled: Move the patient to fresh air. If the subject is not breathing, give artificial respiration, preferably mouth – to – mouth and call the doctor immediately.

If swallowed: Give copious quantities of either beaten egg white, starch solution or milk of magnesia before inducing vomiting. Repeat until vomit fluid is clear and free from the smell of poison. Never give anything by mouth to an unconscious person. Seek medical advice immediately.

TOXICOLOGICAL INFORMATION

Symptoms of poisoning: Toxic if swallowed. Weakness, headache, tightness in chest, blurred vision, salivation, sweating, nausea, vomiting, diarrhea and abnorminal cramps.

Antidote: Administer atropine sulphate intravenously 1-4mg every 5-10 minutes until signs of atropinisation occur. Or administer obidoxime chloride or palidoxime at 50mg/kg upto a total dose of 1-2g.Repeat oximes if necessary. Do not give morphine.

Note to physician/Treatment: Treat symptomatic and supportively

In case of emergency call toll free number(24hrs): 0800720021/0800730030.

NOTICE TO USERS

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use or store a pest control product under unsafe conditions.

WARRANTY

Seller's guarantee is limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

Amiran

Divipan®

100EC



An insecticide to control antestia bug, coffee berry borer, leaf miner, mealy bugs, thrips and stem borer in Coffee.
(Kiua dudu kinacho dhibiti wadudu kwenye kahawa).

COMMERCIAL & AGRICULTURAL CLASS.
(KUNDI LA BIASHARA NA KILIMO.)
GUARANTEE (DHAMANA): *Dichlorvos 100g/l*
REGISTRATION NO. (NAMBARI YA USAJILI):
PCPB (CR) 0961

READ THE LABEL BEFORE USING
(SOMA KIBANDIKO KABLA YA KUTUMIA)

KEEP OUT OF REACH OF CHILDREN
(FUNGIA MBALI NA WATOTO)

Shelf life: 2 years from date of manufacture when stored in original unopened container in a cool dry place.
(**Maisha Rafuni:** Miaka 2 baada ya kutengenezwa kama imewekwa kwenye chombo chake halisi hakijafunguliwa mahali pakavu pasipo na joto jingi).

Mft date/Tarehe ya kutengenezwa:
Batch No./Nambari ya Kifurushi:
Expiry date/Tumia kabla ya:

In case of Emergency call toll free No.
(Kwa hali ya Dharura piga simu bila malipo-masaa 24):
0800720021/ 0800730030(24hrs)

Member Of
Agro Chemical
Association Of Kenya
Registration Number.
AAK 219

Warning (Ilani)
Very toxic to aquatic life,
may cause long term adverse effects
in the aquatic environment

Flammable/ Inashika moto

Distributor / Wasambazaji:
Amiran Kenya Ltd.
Tel: 0719 095000
Fert@amirankenya.com
www.amirankenya.com

WHO
CLASS II

Manufacturer / Watengenezaji:
Adama Makhteshim Ltd, Israel

Net Contents / Ujazo **1Lt**

HAZARD/ HATARI

Maelezo

Divipan 100EC ni aina ya oganofosfeti yenye uvuke wa hali ya juu ya kuagamiza wadudu kwa kahawa .

Jinsi Inavyofanya kazi

Divipan 100EC hufanya kazi kwa mguso na sumu ya tumbo.

Vipimo

MIMEA	WADUDU	KIPIMO	NYUNYIZIA	VUNA
Kahawa	Antestia bug, cofee berry borer, leaf miner, mealy bugs, thrips and stem borer.	Lita 1.5/hektari Mililita 150/maji Lita 100 mililita 30/maji Lita 20	Pindi tu, dalili zinapo tokea	Siku 7

KUZUIA UPINZANI

Inapendekezwa kuwa Divipan 100EC itumike kwa kubadilishana na kemikali zilizo na mbinu tofauti za kufanya kazi.

HATARI NA TAHADHARI

Matumizi

Vaa ngao la kujikinga, viatu na vizuizi vya mikono na uso, unapotayarisha mchanganyiko wa dawa na maji na unaponyunyiza dawa. Jihadhari usipumue mvuke wa dawa, mchanganyiko wa dawa usiingie kwenye macho au kumwagikia ngozi na nguo ulizovalia. Usinyunyizie dawa hii ukielekea upande upepo unatoka. Usivute sigara na usile wala kunyua wakati unapotumia dawa hii.

Baada ya kazi

Vua nguo za kazi na vizuizi vya kujikinga, Nawa mikono kati ya mapumziko na hata baada ya kazi. Osha bomba uliyoitumia kisha Oga na ufue mavazi uliyotumia kwa maji na sabuni.

Kuhifadhi

Hifadhi Divipan 100EC kwenye chombo chake asili kilichofungwa vyema na kukiweka pahali pakavu, pasipo na joto na panapo hewa vizuri-kwenye ghala lake lililofungwa ambalo watu wasioidhinishwa kuingia. Weka mbali na watoto, chakula, vinywaji na vyakula vya mifugo. Weka mbali na moto.

Utupaji

Suuza mkoba mara tatu, kitoboe kisha ukitupe sehemu ambayo imetengwa na kuidhinishwa au kizike mbali na sehemu zilizo na chemi chemi ya maji au ukirejeshe kwenye msambazaji. Msuuzo unafaa umwagwe mbali na sehemu za maji kuzuia machafuko ya mazingira.

Ikivuja/mwagika

Vaa mavazi ya kinga. Zuia mchafuko wa maji au mchanga. Fagia kwa kutumia unga wa mbao au mchanga. Kusanya kwa kijiko cha mchanga kisha weka ndani ya mikoba inayoidhinishwa kuondoa kemikali. Kwa wingi wa kemikali, fuata mashauri ya msambazaji.

TAHADHARI KWA MAZINGIRA

Divipan 100EC ni sumu kwa nyuki, samaki na wanya ma pori. Usichafue mito, mabawa au njia za maji. Epuka kunyunyizia wakati nyuki wanatua kwenye maua. Weka mifugo na wanyama wa pori mbali na sehemu zilizo nyunyiziwa kemikali.

MAELEZO YA HUDUMA YA KWANZA

Kwa ngonzi: Vua nguo na kuoga mara moja kwa maji mengi na sabuni.

Kwa macho: Fumbua jicho au macho na kushikilia kigubiko cha jicho kisha tiririsha maji mengi ndani ya macho au jicho kwa muda wa dakita 15. Muone daktari.

Ikivutwa: Mpeleke mjeruhi palipo na hewa safi, ikiwa anaugumu akivuta hewa, mpe hewa kwa kutumia mdomo wako na wake. Muone daktari.

Ikimezwa: Mnyweshe kisehemu cheupe cha yai au maziwa ya magnesia kabla ya kumtapisha. Rudia hadi matapishi yawe bila harufu ya kemikali. Kamwe usimpe kitu chochote mjeruhiwa aliyezirai. Muone daktari. PELEKA MJERUHIWA KWA DAKTARI.

TIBA: Tibu kulingana na dalili za ugonjwa

Kwa hali ya dharura, piga simu bila malipo (masaa 24) 0800720021/0800730030.

ILANI KWA MTUMIAJI

Dawa hii sharti itumiwe kulingana na maagizo yaliyo kwenye kibandiko. Ni hatia chini ya sheria za madawa ya kuangamiza wadudu waharibifu kutumia au kuhifadhi dawa hii katika hali isiyo salama.

THIBITISHO

Dhamana ya muuzaji ni maelezo yaliyo kwenye kibandiko ambayo ni lazima yafuatwe kikamilifu. Mnunuzi lazima akubali hatari zozote zinazoweza kutokana na matumizi ya dawa hii kwa binadamu au mali na lazima aikubali dawa hii katika hali hiyo.