



# CAPRI 600 SL

GUARANTEE (DHAMANA):  
2,4-D acid 600 g/L

A selective post-emergence herbicide for control of broadleaved weeds in maize mono crop

(Kiuwa kwekwe wa kudhibiti kwekwe aina ya majani mapani)



Severely irritating to eyes and a moderate skin sensitizer  
Inaweza kukera macho na kuhamasisha ngozi



FLAMMABLE  
LIQUID



IRRITANT  
HUWASHA



SCAN FOR  
WEBSITE



## HERBICIDE



Commercial and Agricultural class • Kundi la biashara na kilimo  
Registration number/Namba ya Usajili: PCPB (CR) 1640

READ THE LABEL BEFORE USING. KEEP LOCKED AWAY FROM CHILDREN, FOOD AND ANIMAL FEEDSTUFF.  
(SOMA MAELEZO KABLA YA KUTUMIA, WEKA MBALI NA WATOTO, VYAKULA NA VINYWAJI)

In case of poisoning call toll free 0800 730030/720021 (24 hours)  
Ikiwa kuna tukio la madhara piga simu bila malipo 0800 730030/720021 (masaa 24)

# ADAMA

## ESSENTIALS

### 1L

WHO CLASS III



# ADAMA



**MAELEZO:** CAPRI 600 SL ni sumu inayoangamiza kwekwe wa kudhibiti kwekwe aina ya majani mapani.

**Jinsi inavyofanya kazi:** CAPRI 600 SL imetengenezwa kwa 2,4-D ambayo inazuia kwekwe kukua vizuri.

**Jinsi ya kutumia:** Changanya na maji kulingana na kiwango kilichoandikwa kisha unyonyize kwenye kwekwe ambazo ni changa.

Tumia wakati mimea ya mahindi ni changa.

**Kipimo:**

| Mmea    | Wakati wa kutumia   | Kipimo kwa hektari kwenye lita 100 za maji | Kipimo kwa lita 20 za maji |
|---------|---|--|----------------------------|
| Mahindi | Kwekwe zikiwa mahiri (Wiki 4 baada ya mimea ya mahindi kuchipuka) | Lita 1                                     | Mililita 200               |

**Muda wa kungoja kabla ya kurudisha mifugo malishoni kwenye shamba:**  
Siku 0

**Muda wa kungoja kabla ya kuvuna:** Siku 0

**Tahadhari ya utumiaji:** CAPRI 600 SL ni dawa ya kuangamiza kwekwe kwenye mahindi. Haistahili kutumiwa kwa njia nyingine. Geuza dawa hii na dawa ya aina nyingine katika msimu ili kuhakikisha kwekwe haiwezi kujikinga na madhara ya dawa hii.

**Tahadhari inapotumiwa:** Weka mbali na watoto, wanyama na chakula cha watu na wanyama. Yaweza kuleta muwasho kwenye mapua, koo, macho na ngozi. Tumia 'overall', mipira ya mikono na vazi la kufunika uso. Usile, kunywa wala kuvuta sigara utumiapo dawa.

**Kuchanganya kwa usalama:** Epuka kugusana na dawa unapoichanganya. Vaa 'overall', mipira ya mikono na vazi la kufunika uso unapoichanganya.

**Kunyunyizia kwa usalama:** Vaa mavazi ya kujikinga na dawa unaponyunyizia. Usijichafue na maji ya dawa. Hakikisha upepo hauisukumi dawa upande wako.

**Usalama baada ya kutumia:** Nawa mikono na mwili vizuri. Usitumie mkebe mtupu kwa kazi ingine yoyote. Tupa vyema mkebe mtupu.

**Uhifadhi:** Weka na kufungia CAPRI 600 SL mbali na watoto na wanyama. Weka mahali pakavu ambapo kipimo cha joto hakizidi 300C. Weka mbali na moto na ndimi zake. Hakikisha dawa hazisongamani kwenye stoo.

**Kutupa:** Usitumie kifaa kilichokuwa na dawa hii kwa namna nyingine yoyote. Osha mkebe mara tatu kwa kutumia maji kisha utupe kulingana



na sheria za utupaji.

**Ikivuja au Ikimwagika:** Funika au zika dawa iliyomwagika kwa mchanga au vumbi ya mbao. Kusanya mchanganyiko huo na utupe kulingana na sheria za utupaji. Osha kabisa sakafu iliyochafuka kwa maji na sabuni.

**MADHARA KWA MAZINGIRA:** Dawa hii yaweza kudhuru samaki na ndege. Usiwache iloweke karibu na chemichemi za maji.

**MASHARTI YA HUDUMA YA KWANZA:**

Simamisha kazi mara moja. Chunguza kama kuna dalili za uchovu. Toka pahali palipo chafuliwa na dawa. Vua nguo ikiwa zimechafuliwa.

**Ikigusa ngozi,** toa nguo zilizoshika dawa kisha osha kwa maji mengi na sabuni. Baada ya muda, osha tena na maji yasiyo na moto kabisa.

**Ikiingia machoni,** osha mara moja kwa maji mengi safi kwa dakika

15. Muone daktari maumivu yakizidi. **Ikivutwa wakati wa kupumua,** mwondoe mwadhiriwa na umweke mahali penye hewa safi. Tafuta matibabu zaidi madhara yakizidi. **Ikimezwa,** usilazimishe muathiriwa kutapika. Osha mdomo kwa kutumia maji mengi. Usimpe mtu aliyezimia kitu chochote kupitia mdomo. Peleka muathiriwa hospitalini madhara yakizidi.

**PELEKA MJERUHI KWA DAKTARI**

Ikiwa kuna tukio la dharura piga simu bila malipo 0800 730030/720021 (masaa 24)

**ILANI KWA MUTUMIAJI:** Dawa hii lazima itumike kulingana na maelezo yaliyoko katika kibandiko hiki. Ni hatia chini ya sheria za viuadudu kuitumia au huhifadhi dawa hii kwa njia nyingine kinyume na ile iliyoelezewa hapa.

**THIBITISHO:** Dhamana ya muuzaji imeshauriwa na masharti yaliyowekwa kwenye kijikaratasi na label. Muuzaji hahusiki kamwe na madhara yoyote yanayotokana na utumiaji wa dawa hii kwa njia zinazohatarisha maisha.

**DESCRIPTION:** CAPRI 600 SL is a selective post-emergence herbicide for control of broadleaved weeds in maize mono crop

**Mode of action:** CAPRI 600 SL contains 2,4-D that produces uncontrollable, unsustainable growth.

**DIRECTIONS FOR USE:** Mix with water and apply onto broad leaved weeds during early vegetative stages of weed growth (four weeks after

ADAMA



maize emergence).

**Application rates:**

| Crop  | Time of application   | Rate/ha in 100 L of water | Rate in 20 L of water |
|-------|---|---------------------------|-----------------------|
| Maize | Early stages of weed growth (four weeks after maize emergence). | 1 L                       | 200 mL                |

**Pre-harvest interval:** 0 days

**Use limitations:** Alternate application of CAPRI 600 SL with other herbicides with different modes of action so as to avoid development of resistance.

**Handling precautions:** Keep out of reach of children. Do not ingest. It may cause severe irritation to the eyes and sensitize the skin. Do not breathe spray mist. Use overall, gloves and mask when handling. Do not eat, drink or smoke while handling the product.

**Safety when mixing:** Wear protective clothing when mixing. Avoid contamination from spray liquid by spillage and drift.

**Safety when spraying:** Wear protective clothing when spraying. Avoid contamination from spray liquid by spillage and drift.

**Safety after spraying:** Wash hands and body thoroughly after spraying. Do not reuse the empty container. Dispose the container safely and according to national regulations.

**Storage:** Store CAPRI 600 SL under lock and key and out of reach in a cool dry place away from food, feed, children and animals and from direct sunlight. Store below 30°C.

**Disposal of waste and empty containers:** Dispose the container safely and according to national regulations. Do not allow material to enter sewers or bodies of water. Triple rinse the containers. Do not re-use the empty containers for any other purpose.

**Leakage and spillage:** If leakage of the liquid or spray mix occurs, soak up material with sand or soil. Collect this contaminated material and dispose according to national regulations.

**ENVIRONMENTAL HAZARDS:** The product may be toxic to fish and birds. Do not allow escape into water sources.

**FIRST AID MEASURES:** If poisoning is suspected, stop working immediately. Check for any signs of distress. Remove victim from area of exposure.



**In case of skin contact**, remove contaminated clothing. Wash all exposed skin area with soap and water, followed by warm water rinse. Consult a doctor in the event of any complaints. **In case of eye contact**, wash out with plenty of water with the eyelid held wide open for at least 15 minutes. If pain persists, consult an eye specialist. **In case of inhalation**, remove victim to fresh air. Consult a doctor in the event of any complaints. **In case of ingestion**, do not induce vomiting. Wash out mouth with plenty of water. Never give anything by mouth to an unconscious person. Consult a doctor in the event of any complaints

#### **TOXICOLOGICAL INFORMATION**

**Symptoms of poisoning:** Nausea, vomiting, abdominal pain, throat pain or diarrhea.

**Antidote:** No specific antidote

**Note to the physician:** Treat symptomatically and give supportive therapy.

**In case of poisoning call toll free 0800 730030/720021 (24 hours).**

**NOTICE TO USER:** This pest control product is to be used in accordance with the direction on this label. It is an offence under the pest control Products Act to use or store a pest control product under unsafe conditions



**WARRANTY:** Seller's guarantee is limited to the terms set out on the label and subject there to, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

**SHELF LIFE:** 2 years from date of manufacture if stored in a cool, dry, well-ventilated place in original unopened container.  
**MAISHA RAFUNI:** Miaka miwili kutoka tarehe ya kutengenezwa ikiwa imewekwa katika mkoba wake halisi ambao haujafunguliwa.

**In case of poisoning call toll free 0800 730030/720021 (24 hours)**  
**Ikiwa kuna tukio la madhara piga simu bila malipo 0800 730030/720021 (masaa 24)**

**Manufactured by / Imetengenezwa na:**



ADAMA Manufacturing Poland S.A.  
ul. Sienkiewicza 4  
56 - 120 Brzeg Dolny  
POLAND  
Web: [www.adama.com](http://www.adama.com)

**ADAMA**