

# Safety Data Sheet

Issue Date: 26-Jul-2023

Revision Date: 16-Oct-2023

Version 1

# **1. IDENTIFICATION**

Product identifier	
Product Name	VANTANA
Other means of identification	
SDS #	ADAMA-358-CA
Synonyms	None
Registration Number(s)	Pest Control Reg. No. 35050
Recommended use of the chemical	and restrictions on use
Recommended Use	For industrial use
Uses Advised Against	No information available
Details of the supplier of the safety	data sheet
Manufacturer Address ADAMA Agricultural Solutions Canada 300-191 Lombard Avenue Winnipeg, Manitoba R3B 0X1 1-855-264-6262	a Ltd.
Emergency telephone number	
Emergency Telephone	For fire, spill and/or leak contact INFOTRAC: 1-800-535-5053 (North America) 1-352-323-3500 (International) For medical emergencies and health/safety inquiries, contact ProPharma Group: 1-877-250-9291

# 2. HAZARDS IDENTIFICATION

### Physical state Liquid

### **Classification**

Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Reproductive toxicity	Category 1A

### <u>Signal word</u> Danger

### Hazard statements

Harmful if inhaled May damage fertility or the unborn child



### **Precautionary Statements - Prevention**

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Wear protective gloves/protective clothing/eye protection/face protection Avoid breathing dust/fume/gas/mist/vapours/spray Use only outdoors or in a well-ventilated area

#### **Precautionary Statements - Response**

If exposed or concerned: Get medical advice/attention IF INHALED: Remove person to fresh air and keep comfortable for breathing Call a POISON CENTRE or doctor if you feel unwell

### **Precautionary Statements - Storage**

Store locked up

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Other Information

Very toxic to aquatic life with long lasting effects

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### Substance

Not applicable.

### <u>Mixture</u>

Chemical name	CAS No	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
3-Chloro-N-(3-chloro-5-trifluoromethyl-2-pyridyl)- alphaalphaalphatrifluoro-2,6-dinitro-p-toluidine	79622-59-6	30-60	-	-
Bentonite Clay	1302-78-9	1-5	-	-

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

# **4. FIRST AID MEASURES**

### Description of first aid measures

General advice	If exposed or concerned: Get medical advice/attention.	
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a doctor.	
Skin contact	Wash off immediately with plenty of water for at least 15 minutes.	

Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing.		
Ingestion	Clean mouth with water and drink afterwards plenty of water.		
Most important symptoms and effe	cts, both acute and delayed		
Symptoms	Harmful if inhaled. May damage fertility or the unborn child.		
Indication of any immediate medica	al attention and special treatment needed		
Note to doctors	Treat symptomatically.		
5. FIREFIGHTING MEASURES			
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.		
Unsuitable extinguishing media	CAUTION: Use of water spray when fighting fire may be inefficient.		
Specific hazards arising from the chemical	No information available.		
Explosion Data Sensitivity to Mechanical Impac Sensitivity to Static Discharge	t None. None.		
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.		
6. ACCIDENTAL RELEASE MEASURES			

Personal precautions, protective equipment and emergency procedures		
Personal precautions	Ensure adequate ventilation.	
Environmental precautions		
Environmental precautions	See Section 12 for additional Ecological Information.	
Methods and material for containment and cleaning up		
Methods for containment	Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	Pick up and transfer to properly labelled containers.	
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.	

### 7. HANDLING AND STORAGE

### Precautions for safe handling

Advice on safe handling Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Avoid breathing dust/fume/gas/mist/vapours/spray. Use only outdoors or in a well-ventilated area.

### Conditions for safe storage, including any incompatibilities

**Storage Conditions** 

Store locked up. Store above 0°C.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

**Exposure Limits** 

Chemical name	Canada - Alberta - Occupational Exposure Limits - Ceilings	Canada - British Columbia - Occupational Exposure Limits - Ceilings	Canada - Ontario - Occupational Exposure Limits - Ceilings	Quebec
Bentonite Clay 1302-78-9		TWA: 1.0 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	

### Appropriate engineering controls

Engineering controls Showers Eyewash stations Ventilation systems.

### Individual protection measures, such as personal protective equipment

Eye/face protection	If necessary, refer to appropriate regulations and standards.
Hand protection	If necessary, refer to appropriate regulations and standards.
Skin and body protection	If necessary, refer to appropriate regulations and standards.
Respiratory protection	If necessary, refer to appropriate regulations and standards.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Not determined
Colour	Not determined
Odour	Not determined
Odour Threshold	Not determined
Property	Values
pH	6.5-8.5
Melting point / freezing point	No data available
Initial boiling point and boiling	No data available
range	
Flash point	No data available
Evaporation Rate	Not determined
Flammability (Solid, Gas)	Not determined
Flammability Limit in Air	
Upper flammability or explosive	No data available
limits	
Lower flammability or explosive	No data available
limits	<b>N</b> ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) (
Vapour Pressure	Not determined

Remarks • Method

PropertyVapour DensityRelative DensityWater SolubilitySolubility in other solventsPartition CoefficientAutoignition temperatureDecomposition temperatureKinematic ViscosityDynamic ViscosityExplosive propertiesOxidising propertiesOther informationSoftening PointMolecular weightVOC contentLiquid DensityBulk density	Values_   No data available   1.22-1.28   Not determined   Not determined.   Not determined.   Not determined.   Not determined   Not determined.   Not determined   Not determined	<u>Remarks • Method</u>
	10. STABILITY AND REA	
Reactivity	Not reactive under normal conditions.	
Chemical stability	Stable under normal conditions.	
Possibility of hazardous reactions	None under normal processing.	
Conditions to Avoid	None known based on information sup	oplied.

Incompatible materials None known based on information supplied.

Hazardous decomposition products None known based on information supplied.

# **11. TOXICOLOGICAL INFORMATION**

### Information on likely routes of exposure

### Product Information

Eye contact	Avoid contact with eyes.			
Skin contact	Avoid contact with skin.			
Inhalation	Harmful if inhaled.			
Ingestion	Do not ingest.			
Symptoms related to the physical, chemical and toxicological characteristics				
Symptoms	Please see section 4 of this SDS for symptoms.			
Acute toxicity				
The following values are calculated based on chapter 3.1 of the GHS documentATEmix (oral)>2,000 mg/kgATEmix (dermal)>2,000 mg/kg				

### ATEmix (inhalation-dust/mist) 4.42 mg/l

Unknown acute toxicity

No information available

### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
3-Chloro-N-(3-chloro-5- trifluoromethyl-2-pyridyl)- .alpha.,.alpha.,.alphatrifluoro- 2,6-dinitro-p-toluidine 79622-59-6	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rat)	> 1.1 mg/L (Rat)4 h
Urea 57-13-6	= 8471 mg/kg (Rat)	-	-
Bentonite Clay 1302-78-9	> 5000 mg/kg (Rat)	-	-
Lactic Acid 50-21-5	= 3543 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 7.94 mg/L (Rat)4 h
1,2-Benzisothiazolin-3-one 2634-33-5	= 1020 mg/kg (Rat)	> 2000 mg/kg (Rat)	-

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity

Based on the information provided, this product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

#### **Reproductive toxicity**

May damage fertility or the unborn child.

### **12. ECOLOGICAL INFORMATION**

### Ecotoxicity

Very toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea		
Chemical hame	Algae/aqualic plants	FISH	-	Ciusiacea		
Line e		1.050, 10000	microorganisms	<b>EQE0:</b> 2010		
Urea	-	LC50: 16200 -	-	EC50: =3910mg/L (48h,		
57-13-6		18300mg/L (96h, Poecilia Daphnia ma				
		reticulata)				
Bentonite Clay	_	LC50: =19000mg/L (96h,	_	-		
1302-78-9		Oncorhynchus mykiss)				
1002 10 0						
Persistence/Degradability No information available.						
Bioaccumulation No information available.						
Mobility						
Other adverse effects	No information	n available				
other daverse cheets						
	40 010					
13. DISPOSAL CONSIDERATIONS						
Waste Treatment Methods	5					
	-					
Waste from residues/unused Dispose of in accordance with local regulations. Dispose of waste in accordance with						
products	roducts environmental legislation.					

# 14. TRANSPORT INFORMATION

Note	Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances	
DOT	Not regulated	
<u>TDG</u> UN/ID No Proper Shipping Name Transport hazard class(es) Packing Group	UN3082 Environmentally hazardous substance, liquid, n.o.s. (Fluazinam) 9 III	
<u>IATA</u> UN number or ID number Proper Shipping Name Transport hazard class(es) Packing group Description	UN3082 Environmentally hazardous substance, liquid, n.o.s. (Fluazinam) 9 III III This material ships as a marine pollutant when inner packagings exceed 5L/5KG	
IMDG UN number or ID number Proper Shipping Name Transport hazard class(es) Packing Group Marine Pollutant	UN3082 Environmentally hazardous substance, liquid, n.o.s. (Fluazinam) 9 III This material ships as a marine pollutant when inner packagings exceed 5L/5KG	

# **15. REGULATORY INFORMATION**

# **REGULATORY INFORMATION**

### International Regulations

Ozone-depleting substances (ODS)	Not applicable
The Stockholm Convention on Persistent Organic Pollutants	Not applicable

The Rotterdam Convention Not applicable

### International Inventories

Chemical name	TSCA	DSL/NDSL	EINECS/ELI NCS	ENCS	IECSC	KECL	PICCS	AIIC
3-Chloro-N-(3- chloro-5- trifluoromethyl-2- pyridyl)- .alpha.,.alpha.,.alph atrifluoro-2,6- dinitro-p-toluidine	X		X			X		
Bentonite Clay	Х	Х	Х		Х	Х	Х	Х

### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances **ENCS** - Japan Existing and New Chemical Substances

Special hazards -Personal Protection Not

determined

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

# 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

<u>NFPA</u>	Health hazards 2	Flammability -	Instability -
HMIS	Health hazards * 2 1	Flammability -	Physical hazards -

Chronic Hazard Star Legend \* = Chronic Health Hazard

### Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)
STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value
*	Skin designation
Revision Date:	16-Oct-2023

Revision Note: New format.

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet