



Lamdex 5% EC

INSECTICIDE

SAFETY PRECAUTIONS:-

- Toxic if swallowed, contacted with skin and eyes and inhaled.
- During use of the product, wear protective devices such as overall, goggles, respirators, mask and rubber boots.
- Do not eat, drink or smoke while handling the product
- Wash hands and exposed body parts with soap and water before eating, drinking and smoking. Do not breath spray vapor/mist.

Storage

- Keep in original container, tightly closed, in safe place, under lock and key, out of the reach of children.

Disposal:-

- Dispose of empty containers safely by burial or incineration according to the regulation of Federal Government.

SYMPTOM OF POISONING:-

- Facial anesthesia and tremors

Environmental Hazard:-

- Harmful to environment. Do not contaminate waterways, Rivers and ponds with the remnant of pesticide and its container.

FIRST AID:-

- **If Skin contacted** - Remove contaminated clothing and thoroughly wash the affected area with soap and water
- **If Eyes contacted**- Wash with clean water/Saline for 15 minutes
- **If Ingested** - seek medical attention immediately; do not induce vomiting.
- **If inhaled** - move to fresh air, get medical attention.

ANTIDOTE - No specific antidote

Advice to Physician - Treat symptomatically

DIRECTION FOR USE:-

Use 0.4 lt/ha. Mix with 200-250 lt of water/ha for ground application.

COMPATIBILITY:-

Compatible with most insecticides and fungicides. However, not compatible with products which are strongly alkaline in nature.

Resistance Warning:- Do not treat any single crop with more than 2-3 sprays of the same product in any growing season.

Crop tolerance

If used as directed on the label & leaflet lamdex 5 % Ec is well tolerated by the crop

Mode of action

Lamdex 5 % EC is a contact insecticide

Re-entry period:- 24 hours

Pre-harvest interval:- 14 days

Legal Responsibility

The manufacturer would not take any responsibility on use of the product out of this guidelines.



ላምዴክስ 5% ኢ.ሲ ፀረ ነፍሳት

መወሰድ ያለበት ጥንቃቄ!

- ☞ ከቆዳና ከዓይን ጋር ከተነካ፤ በመተንፈሻ አካልና በሰፍ ከገባ መርዝማ ነው።
- ☞ ፀረ-ተባዩን በሚጠቀሙበት ጊዜ የመነካካያ ትጥቆችን (ቱታ፣ የዓይንና የአፍንጫ መነካካያና ቦት ጫማ) ይልቡ።
- ☞ በሚረጨበት ጊዜ ከመባላት፤ ከመጠጣትና ከማጨስ ይቆጠቡ።
- ☞ ከጠቀሜታ በጋላ ከመባላትም፣ መጠጣትምና ከማጨስም በፊት እድንና የተነካ አካልን በውሃና በላመና ይታጠቡ። የርዳታ ቁርኝት ከመተንፈስ ይቆጠቡ።

ማክማቸት

ሳይከፈት በመጣበት መያዣ፣በተዘጋ መጋዘን ውስጥ ሕዳት በማይደርሱበት ከማግኘት ከመኖ አርቀው ያከማቹ።

ማስወገድ

ባዶ መያዣዎችን በመቅበር ወይም በከፍተኛ መቀት በማቃጠል የፌዴራል ደንብ በሚያስፈልግ መሠረት ያስወግዱ።

የመመረዝ ምልክት

የፊት አካል መደንዘበ (በድን መሆን)፣ የመንቀጥጥ ሁኔታ መታየት፣

እንባቢን መመረዝ

ለአካባቢ አደገኛ ነው። የውሃ መሄጃዎችን፣ወንዞችን፣ኮራዎችንና ማንኛውም የውሃ አካላት በፀረ-ተባዩ ቅሪትና መያዣዎች አይበክቡ።

የመጀመሪያ ሕክምና አርዳታ

ከቆዳ ጋር ከተነካ ፡፡ የተነካ ልብስን በማውሰት የተነካ አካልን በላመናና በውሃ በደንብ መታጠብ

ያስፈልጋል።

ከዓይን ጋር ከተነካ ፡፡ በውሃ መላልሰው ለ15 ደቂቃ ያህል ይታጠቡ።

በሰፍ ከገባ ፡፡ ወዲያው፣ የሐኪም አርዳታ ይጠይቁ፤ አንዲያስመልስ አያድርጉ።

በመተንፈሻ አካል ከገባ ፡፡ ገፁህ አየር ወዳለበት ያውጡ፣ የሐኪም አርዳታ ይጠይቁ።

ማርከሻ

፡፡ የተለየ ማርከሻ የለውም።

ለሐኪም ምክር ፡፡ የሚታየውን ምልክት ተከታትለው አርዳታ ይሰጡ።

የአጠቃቀም መመሪያ-

0.4 ሊትር የተዘጋጀ ምርት ለአክቃር ይጠቀሙ። ምድር ለምድር ርጭት ከ200-250 ሊትር ውሃ ጋር ቀላቅለው

ይርጩ።

የመዋሃድ ባህርይ፡

ከጠቡ ፀረ-ተባዩና ፀረ-ብሼታ ፀረ-ተባዦች ጋር ይዋሃዳል።ሆኖም ከፍተኛ የአልካሊን ይዘት ካላቸው ፀረ-ተባዦችጋር

አይደባለቅም።

የመላመድ ባህርይ፡

ፀረ-ተባዩ ከተባዦች ጋር አንዳይለመድ አንድን ሰዓል ከ 2-3 ጊዜ በላይ በተመላላይ ኬሚካል አይርጩ።

የተጠቡ ፀረ-ተባዩን መቋቋም

በመለያወና በበራዊ ወረቀቱ ላይ በተገለበጠ መሰረት ጥቅም ላይ ከየለ ሰጠሉ በጥፋ ሁኔታ ይቋቋማል

የአሰራር ስልት

ላምዴክስ 5% ኢ.ሲ ተባዦችን በገንኪ የሚቆጣጠር ፀረ-ተባዩ ነዉ፤፤

ከተረጨ በኋላ ተመልሶ ወደ ምሳ ውስጥ የመግቢያ ጊዜ፡- 24 ሰዓት

ከተረጨ በኋላ ሰጠሉን ለመተካበስ የሚያስፈልግ ጊዜ፤ 14 ቀናት

ዋስትና -

ፀረ-ተባዩን ከዚህ መመሪያ ውጪ በመጠቀም ለሚደርስው ጉዳት አምራች ኃላፊነት አይወሰድም።



LAMDEX 5%EC

Insecticide

Lamdex 5% EC contains 50 grams Lambda Cyhalothrin a.i. per liter of formulated product. It belongs to Pyrethroid with EC formulation and contact action. Lamdex controls maize stock borer (*Busseola fusca fuller*) on maize & aphids, thrips, leaf hoppers, caterpillars & leaf minors on Flowers. Use Lamdex 5% EC 0.4 lt/hectare. It is grouped under IRAC – 3 according to its mode of action.

READ THE LABEL & ATTACHED LEAFLET CAREFULLY BEFORE USE

KEEP LOCKED OUT OF THE REACH OF CHILDREN

Manufacturer:

Makhteshim Chemical Works Ltd
P.o.box 60, Beer Sheva 84100, Israel

Agent



General Chemicals & Trading PLC
P.O. Box 5620, Addis Ababa, Ethiopia

Registration No. ET/IN/155

Date of Manufacture

Expiry Date

Shelf life 2 years in its original sealed container at
room temperature

Batch No.

Net Content 1 Liter



Harmful



ADAMA



**ላምዴክስ 5% ኢ.ሲ.
ፀረ-ነፍሳት**

ላምዴክስ 5% ኢ.ሲ. 50 ግራም ላምዳሳያላሎትሪን የተባለ ንጥረ ነገር በአንድ ሊትር የተዘጋጀ ምርት ውስጥ ይይዛል። ፓይሪትሮይድ ከተባለው የፀረተባይ ምድብ ውስጥ የሚገኝ ሲሆን በውሃ ተበጥብጦ ይረጫል። ፀረ-ነፍሳቱ በንክኪ ተባዮችን የሚቆጣጠር ሲሆን የበቆሎ አገዳ ቆርቆርን (በሱሊኦላ ፉስካ ፉለር) በበቆሎ ላይ ከሽከሽ፣ትሪፐስ፣ሊፍ፣ ሆፐርስ፣ ካተርፒላርስና ቅጠል ሰርሳሪን በአበባ ላይ ይቆጣጠራል። በሄክታር 0.4 ሊትር ላምዴክስ 5% ኢ.ሲን ይጠቀሙ። በአጠቃቅ ባሕሪው በኢራክ ምድብ 3 ውስጥ ይመደባል።

ከመጠቀም በፊት ይህን መለያና ተያይዞ ያለውን በራሪ ወረቀት በጥንቃቄ ያንብቡ

በተቆለፈ መጋዘን ህፃናት በማይደርሱበት ቦታ ይከማች

አምራች: ማክቴሽም ኬሚካል ርክስ ሊትድ የመ.ሊ.ቁ 60 ቢር ሼቫ
84100 እስራኤል

ወኪል



ጀነራል ኬሚካልስ ኤንድ ትሬዲንግ ኃ.የተ.የግ.ማ.
ፓ.ሣ.ቁ. 5620 አዲስ አበባ, ኢትዮጵያ

የምዝገባ ቁጥር

ET/IN/155

የተመረተበት ቀን:

አገልግሎት የሚያበቃበት ቀን

የቆይታ ጊዜ ሳይክፈት በመጣበት መያዣ በቤት ውስጥ መቀት ከተያዘ

29መት ቆይታ ጊዜ አለው

የምርት መለያ ቁጥር

ይዘት :- 1000 ሚሊ ሊትር

97070395A/201410



ADAMA