



## SAFETY DATA SHEET

### Section 1. Identification of the material and the supplier

Product: **Arrow 360**  
Chemical name of active: Clethodim  
Product Use: Herbicide  
Restriction of Use: Refer to Section 15

New Zealand Supplier: ADAMA New Zealand Ltd  
Address: Level 1/93 Bolt Road  
Tahunanui, 7011, Nelson  
Telephone: +64 3 543 8275  
Email: nzorders@adama.com

**Emergency Telephone: 0800 764 766 (National Poison Centre)  
0800 734 607 (24hr Emergency Response)**

Date of SDS Preparation: 21 July 2023

### Section 2. Hazards Identification

**This substance is hazardous according to the Hazardous Substances (Hazard Classification) Notice 2020**

**HSNO Approval No:** HSR100921

#### Pictograms



Signal Word: **DANGER**

HSNO Classification	Hazard Code	Hazard Statement
Flammable liquid Category 4	H227	Combustible liquid.
Skin irritation Category 2	H315	Causes skin irritation.
Eye irritation Category 2	H319	Causes serious eye irritation.
Specific target organ toxicity (repeated exposure) Category 2	H373	May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard Category 1	H304	May be fatal if swallowed and enters airways.
Hazardous to the aquatic environment chronic Category 3	H412	Harmful to aquatic life with long lasting effects.
Hazardous to soil organisms	H421	Very toxic to the soil environment.
Hazardous to terrestrial vertebrates	H433	Harmful to terrestrial vertebrates.

Prevention Code	Prevention Statement
P102	Keep out of reach of children.
P103	Read label carefully before use and follow instructions.

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P260	Do not breathe dust, fumes, mist or vapours.
P264	Wash hands thoroughly after handling.
P273	Avoid unintended release into the environment.
P280	Wear protective clothing as specified in Section 8.

Response Code	Response Statement
P101	If medical advice is needed, have product container or label at hand.
P301 + P310 + P331	IF SWALLOWED: IMMEDIATELY call the POISON CENTER or doctor/physician. Do NOT induce vomiting.
P302 + P313 + P332 + P352	IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/ attention.
P305 + P313 + P351 + P337 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
P312	Call the POISON CENTER or doctor/physician if you feel unwell.
P362 + P364	Take off contaminated clothing and wash before reuse.
P370 + P378	In case of fire: Use carbon dioxide, dry chemical, foam or water spray (fog) for extinction.
P391	Collect spillage.

Storage Code	Storage Statement
P403	Store in a well-ventilated place.
	Keep out of reach of children. Do not store near heat or flame. Store in original container tightly closed and in a locked, dry, well-ventilated, cool area away from sources of ignition and foodstuffs. Store in accordance with NZS 8409 Management of Agrichemicals. Stores containing 1000 L are subject to signage, 1000 L of ARROW 360 require secondary containment and more than 1000 L require emergency response plans. Stores containing 500 L of ARROW 360 must have at least 2 fire extinguishers.

Disposal Code	Disposal Statement
P501	Refer to Section 13

### Section 3. Composition / Information on Ingredients

Ingredients	Wt%	CAS NUMBER.
Clethodim	30-40	99129-21-2
Other ingredients	To 100	Proprietary

### Section 4. First Aid Measures

Routes of Exposure:

If in Eyes	Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice.
If on Skin	Wash with plenty of soap and water. Take off contaminated clothing and wash before reuse. If skin irritation: get medical advice/attention.
If Swallowed	Never give anything by mouth to an unconscious person. If swallowed do NOT induce vomiting. For advice, contact the National Poisons Centre (0800 764 766). Seek medical assistance immediately.
If Inhaled	Remove person to fresh air. Remove contaminated clothing and loosen remaining clothing. Allow person to assume most comfortable position

and keep warm. Keep at rest until fully recovered. Get medical advice if breathing becomes difficult.

### Most important symptoms and effects, both acute and delayed

#### Symptoms:

<b>Ingestion:</b>	May be fatal if swallowed and enters airways.
<b>Skin:</b>	Causes skin irritation.
<b>Inhalation:</b>	Not applicable.
<b>Eyes:</b>	Causes serious eye irritation.
<b>Chronic:</b>	May cause damage to organs through prolonged or repeated exposure.

### Section 5. Fire Fighting Measures

<b>Hazard Type</b>	Combustible Liquid
<b>Hazards from combustion products</b>	Oxides of sulphur, nitrogen and carbon.
<b>Suitable Extinguishing media</b>	Carbon dioxide, Dry chemical, Foam, or Water spray (fog).
<b>Precautions for firefighters and special protective clothing</b>	Vapours may be toxic. Self-contained breathing apparatus required. Do not allow contaminated run-off to enter drains.
<b>HAZCHEM CODE</b>	<b>2X</b>

### Section 6. Accidental Release Measures

Wear full protective clothing including eye/face protection as detailed in Section 8. Evacuate area from unnecessary personnel.

Contain and absorb liquid spills with inert material and place in waste containers. If spill does enter waterways contact the local authority. Collect in an appropriate sealable container for disposal in an approved landfill. This product is a herbicide and spills can damage crops, pastures and desirable vegetation. Prevent contamination of soil and water.

Dispose of according to Local Regulations.

### Section 7. Handling and Storage

#### Precautions for Handling:

- Read label before use.
- Do not breathe dust, fumes, mist or vapours.
- Wash hands thoroughly after handling.
- Avoid unintended release into the environment.
- Wear protective clothing.

#### Precautions for Storage:

- Store away from incompatible materials listed in Section 10.
- Keep away from children.
- Store in a cool, dry, well-ventilated place in the original container.
- Protect from excessive heat and cold.
- Do not store near food, drink, animal feeding stuffs, pharmaceuticals, cosmetics or fertilisers.
- As a substance with Aquatic Ecotoxicity Classifications, storage of Arrow 360 must be carried out in such a manner as to prevent contamination of waterways. It is recommended that The New Zealand Standard for the Management of Agrichemicals (NZS8409) is followed.
- Storage duration: 24 Months

**Section 8 Exposure Controls / Personal Protection****WORKPLACE EXPOSURE STANDARDS (provided for guidance only)**

Substance	TWA		STEL	
	ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>

No ingredients have exposure limits.

Workplace Exposure Standard – Time Weighted Average (WES-TWA). *The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure.* Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). *The 15-minute average exposure standard.* Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply.

**Engineering Controls**

Handle in well ventilated areas, generally natural ventilation is adequate.

**Personal Protection Equipment**

<b>Eyes</b>	When opening the container, preparing spray and using the prepared spray wear protective glasses or goggles with shield shields must be worn.
<b>Hands and Skin</b>	When opening the container, preparing spray and using the prepared spray wear waterproof gloves, cotton overalls buttoned to the neck and wrist, and boots.
<b>Respiratory</b>	Respiratory protection is recommended.
<b>General</b>	Do not eat, drink or smoke while using. Remove protective clothing and wash hands and face thoroughly before meals and after work. Wash protective clothing daily after work. Wash splashes of concentrate from skin immediately.

**Section 9 Physical and Chemical Properties**

<b>Appearance</b>	Amber liquid
<b>Odour</b>	Aromatic
<b>Odour Threshold</b>	Not applicable
<b>pH</b>	5.0 – 7.0
<b>Boiling Point</b>	Not applicable
<b>Melting Point</b>	Not applicable
<b>Flash Point</b>	63°C
<b>Flammability</b>	Not applicable
<b>Upper and Lower Exposure Limits</b>	Not applicable
<b>Vapour Pressure</b>	Not applicable
<b>Density</b>	1,035 g/ml
<b>Relative Density</b>	Not applicable
<b>Solubilities</b>	Not known
<b>Partition Coefficient:</b>	Not applicable
<b>Auto-ignition Temperature</b>	Not applicable
<b>Viscosity, dynamic</b>	Not applicable
<b>Particle Characteristics</b>	Not applicable

## Section 10. Stability and Reactivity

<b>Stability of Substance</b>	Stable under normal storage conditions in original container for at least two years.
<b>Conditions to Avoid</b>	Protect from excessive heat and cold.
<b>Incompatible Materials</b>	Compatible with most herbicides except very strong acid/alkaline formulations.
<b>Hazardous Decomposition Products</b>	Oxides of sulphur, nitrogen and carbon.

## Section 11 Toxicological Information

### Acute Effects:

<b>Swallowed</b>	May be fatal if swallowed and enters airways
<b>Dermal</b>	Not applicable
<b>Inhalation</b>	Not applicable
<b>Eye</b>	Causes serious eye irritation.
<b>Skin</b>	Causes skin irritation.

### Chronic Effects:

<b>Carcinogenicity</b>	Not applicable.
<b>Reproductive Toxicity</b>	Not applicable.
<b>Germ Cell Mutagenicity</b>	Not applicable.
<b>Aspiration</b>	Not applicable.
<b>STOT/SE</b>	Not applicable.
<b>STOT/RE</b>	May cause damage to organs through prolonged or repeated exposure.

## Section 12. Ecotoxicological Information

<b>Persistence and degradability</b>	No data available
<b>Bioaccumulation</b>	No data available
<b>Mobility in Soil</b>	No data available
<b>Other adverse effects</b>	No data available

Clethodim is of low persistence in most soils with a reported half-life of approximately 3 days. Breakdown is mainly by aerobic processes, although photolysis may make some contribution.

### Ecotoxicity:

LC50 for Rainbow trout:	19 mg/L for clethodim (96h)
EC50 for Daphnia:	20.2 mg/L for clethodim (48h)
LD50 for bobwhite quail:	oral >2000 mg/kg for clethodim
LD50 (contact) for honeybee:	>100 µg/bee for clethodim

## Section 13. Disposal Considerations

**Disposal Method:** Dispose of this product only by using according to the label or at an approved landfill.

**Container Disposal:** Triple rinse container and add rinsate to spray tank. Empty containers and product should not be burnt. Dispose of container in a suitable landfill or take to an Agrecovery collection site. Do not use container for any other purpose.



**Precautions:** Do not allow product to enter waterways.

**Disposal methods to avoid:** Do not burn product or container.

## Section 14 Transport Information

This product is **NOT** classified as a Dangerous Good for transport in NZ; NZS 5433

## Section 15 Regulatory Information

This substance is hazardous according to the Hazardous Substances (Hazard Classification) Notice 2020

**HSNO Approval Code:** HSR100921

**HSNO Classification:** Flammable liquid Category 4, Skin irritation Category 2, Eye irritation Category 2, Specific target organ toxicity (repeated exposure) Category 2, Aspiration hazard Category 1, Hazardous to the aquatic environment chronic Category 3, Hazardous to soil organisms, Hazardous to terrestrial vertebrates.

HSW (HS) Regulations 2017 and EPA Notices	Trigger Quantity
Certified Handlers	Not required
Location Certificate	Not required
Tracking Trigger Quantities	Not required
Signage Trigger Quantities	1000 L
Emergency Response Plan	1000 L
Secondary Containment	1000 L
HSNO Additional Controls (Restrictions of use)	
77A	The application of the substance must be limited to ground-based application methods only. [Where ground-based methods applying pesticides include, but are not limited to, application by ground boon, airblast or knapsack, and do not include aerial application methods.
Hazardous Property Controls Notice 2017	
HPC Notice Part 1	Hazardous Property Controls preliminary provisions
HPC Notice Part 3	Hazardous substances in a place other than a workplace
HPC Notice Part 4 Subpart A	Substances that are hazardous to the environment: Site and storage controls
HPC Notice Part 4 Subpart B	Use of substances that are hazardous to the environment
HPC Notice Part 4 Clause 47	Equipment for environmentally hazardous substances must be appropriate
HPC Notice Part 4 Clause 48	Record of application of agrichemicals

HPC Notice Part 4 Clause 52	Agrichemicals that are hazardous to the aquatic environment must not be applied to water
HPC Notice Part 4 Subpart C	Qualifications required for the application of substances that are hazardous to the environment
<b>ACVM Act and Regulations</b>	
Registered pursuant to the ACVM Act 1997, See <a href="http://www.nzfsa.govt.nz/acvm">www.nzfsa.govt.nz/acvm</a> for registration conditions	No. P009274
<b>For all further controls</b>	Refer to EPA website ( <a href="http://www.epa.govt.nz">www.epa.govt.nz</a> ) for controls document - HSR100921

## Section 16 Other Information

### Glossary

ACVM	Agricultural Compounds and Veterinary Medicines Act 1997.
EC50	Median effective concentration.
EEL	Environmental Exposure Limit.
EPA	Environmental Protection Authority.
HSNO	Hazardous Substances and New Organisms Act 1996.
HSW	Health and Safety at Work Act 2015.
HSW (HS) Regulations	Health and Safety at Work (Hazardous Substances) Regulations 2017.
LC50	Lethal concentration that will kill 50% of the test organisms inhaling or ingesting it.
LD50	Lethal dose to kill 50% of test animals/organisms.
LEL	Lower explosive level.
TEL	Tolerable Exposure Limit.
TLV	Threshold Limit Value-an exposure limit set by responsible authority.
UEL	Upper Explosive Level.
WES	Workplace Exposure Limit.

### References:

1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017
2. Workplace Exposure Standards and Biological Exposure Indices Nov 2017 edition.
3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).
4. Transport of Dangerous goods on land NZS 5433:2012
5. HSW (Hazardous Substances) Regulations 2017

### Disclaimer:

This document has been issued by Adama New Zealand Ltd and serves as their Safety Data Sheet ('SDS'). It is based on information concerning the product which is held by Adama New Zealand Ltd or has been obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. While Adama New Zealand Ltd have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, Adama New Zealand Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS. The information herein is given in good faith, but no warranty, express or implied is made.

Issue Date: 21 July 2023      Review Date: 21 July 2028