

DANGER
KEEP OUT OF REACH OF CHILDREN



PLATOON[®]
HERBICIDE

GROUP	C3+F1	HERBICIDE
-------	--------------	-----------

Selective weedkiller for the control of field pansy and other broad-leaved weeds in ryegrass and white clover seed crops

READ THE ATTACHED BOOKLET COMPLETELY BEFORE MIXING OR APPLYING

Active Ingredients:

25 g/L DIFLUFENICAN and 250 g/L BROMOXYNIL as the octanoate ester in the form of an emulsifiable concentrate

Adama New Zealand Limited
Level 1, 93 Bolt Road
Tahunanui, Nelson 7011
PO Box 1799, Nelson 7040
New Zealand
Telephone 03 543 8275
www.adama.com

NET CONTENTS
1-200 L

ADAMA

REFER TO BOOKLET FOR FULL LABEL INSTRUCTIONS.**HAZARD CLASSIFICATIONS: 3.1D, 6.1D, 6.3A, 6.4A, 6.5B, 6.8A, 6.9B, 9.1A, 9.2A, 9.3B****PCBU RESPONSIBILITIES**

A PCBU with management or control of work using this substance must ensure that every worker who uses, handles, manufactures, or stores this hazardous substance (including hazardous waste) is, before the worker is allowed to carry out or supervise work involving those substances, provided with adequate information, training and instruction. This includes the use of personal protective equipment to be used to minimise risks to the health and safety of workers when carrying out work using this substance.

QUALIFICATIONS REQUIRED FOR APPLICATION OF CLASS 9 SUBSTANCES

Anyone who mixes, loads, or applies this product, either by air or ground based methods, is required to be suitably qualified, or must receive guidance and, if required, assistance from a suitably qualified person. *Refer to Schedule 10 of the Hazardous Substances (Hazardous Property Controls) notice 2017 for a list of suitable qualifications.*

RECORD KEEPING

Where 3 kg or more of the substance is applied within 24 hours, in a place where the substance is likely to enter air or water and leave the application area, a PCBU with management or control of the substance must ensure that a written record is kept of each application of the substance. *Refer to Part 4 Clause 48 of the Hazardous Substances (Hazardous Property Controls) notice 2017 for details of information that must be recorded.*

DANGER**Combustible liquid.****Harmful if swallowed or inhaled.****May be harmful in contact with skin.****Causes skin irritation and may cause allergic skin reaction.****Causes serious eye irritation.****May damage fertility or the unborn child.****May cause damage to organs through prolonged or repeated exposure.****ECOTOXICITY**

Very toxic to aquatic life with long lasting effects. Do not apply onto or into water. Avoid contamination of any water supply with product or empty container.

Very toxic to the soil environment.**Toxic to terrestrial vertebrates.****HANDLING PRECAUTIONS**

Keep out of reach of children.

Read the label before use.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not eat, drink or smoke when using this product.

Avoid breathing spray mist or vapours.

Use only outdoors or in a well-ventilated area.

Use personal protective equipment as required.

Contaminated clothing should not be allowed out of the workplace.

EQUIPMENT

A PCBU with management or control of work using this substance must ensure that equipment used to handle this substance retains the substance, without leakage, at all of the temperatures and pressures at which the equipment is to be used; and dispenses or applies the substance, without leakage, at a rate and in a manner that the equipment is designed for. The PCBU must ensure that the equipment is accompanied by documentation that is readily available and readily understandable about the use and maintenance of the equipment.

STORAGE

Store locked up in the original, unopened container in a cool, well-ventilated place out of direct sunlight and away from stockfeed or foodstuffs. In case of fire use water spray, alcohol-resistant foam, dry chemical or carbon dioxide for extinction.

There are requirements when storing this product in a workplace, relating to labelling, safety data sheets, stationary container systems, separation distances, secondary containment, emergency response plans, and signage; and in a place other than a workplace, relating to stationary container systems, separation distances, emergency response plans, secondary containment, and signage.

Secondary containment and emergency response plans are required where greater than 100 L of this product are stored. Refer to the product SDS for further information.

TRANSPORT

Do not carry packs greater than 1L on passenger service vehicles.

SHELF LIFE

When stored appropriately this product should show no significant degradation for two years from the date of manufacture. Contact your supplier for further information about the use of any product that is older than this.

PERSONAL PROTECTION

When mixing or applying wear appropriate protective clothing including cotton overalls buttoned to the neck and wrist, impervious, elbow-length gloves, and eye protection. Remove protective clothing and wash hands, arms and face with soap and water before meals and after work.

SPILLAGE

Exclude all bystanders from the vicinity of the spill and prevent material from entering waterways. Wear appropriate protective clothing as in the personal protection section of this label to clean up spills.

Absorb spills with an inert material (such as vermiculite, earth, sand or synthetic absorbent substance) and place in waste containers. Wash area thoroughly and absorb any remaining liquid with further inert material. Dispose of the waste safely in an approved landfill.

DISPOSAL

Container Disposal - Triple rinse empty container and add rinsate to spray tank. Submit clean empty container to an Agrecovery® depot for recycling. Alternatively, burn in an appropriate incinerator if circumstances such as wind direction permit, or puncture and bury in a suitable landfill. Avoid contamination of any water supply with product or empty container.

Product Disposal - Dispose of this product only by using according to the label, or through the Agrecovery® Chemical Recovery service or other approved facility.

FIRST AID

If medical advice is needed, have product container or label to hand.

For advice, or if you feel unwell or are exposed or concerned, contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately.

IF SWALLOWED: Rinse mouth. Call a POISON CENTRE or doctor if you feel unwell.

IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs, get medical attention. Take contaminated clothing off and wash before reuse.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical attention.

IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTRE or doctor if you feel unwell.

CONDITIONS OF SALE

Adama New Zealand Limited will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply of these goods other than the responsibility for the merchantable quality of the goods and such responsibilities mandatorily imposed by the Statutes applicable to the sale and supply of these goods. To the extent allowed by such Statutes the liability of Adama New Zealand Limited is limited to the replacement of the goods or (at the option of Adama New Zealand Limited) the refund of the price paid and is conditional upon a claim being made in writing and where possible sufficient part of the goods to enable proper examination being returned to Adama New Zealand Limited within thirty days of delivery.



Registered to and distributed by:
Adama New Zealand Limited
Level 1, 93 Bolt Road
Tahunanui, Nelson 7011
PO Box 1799, Nelson 7040
New Zealand

Label

Telephone 03 543 8275
www.adama.com

Registered pursuant to the ACVM Act 1997, No. P9707
See www.foodsafety.govt.nz for registration conditions

Approved pursuant to the HSNO Act 1996, Approval No. HSR100855
See www.epa.govt.nz for approval controls

PLATOON is a registered trademark of an ADAMA Group Company.
Tropotox Plus is a registered trademark of PGG Wrightson Limited.
Spinnaker is a registered trademark of BASF Agrochemical Products B.V.



EMERGENCY RESPONSE
(All hours)
Ring from anywhere in New Zealand
0800 734 607

In a Transport
Emergency
Phone 111
Police or Fire

Batch Number:

Bar code to be inserted

Date of Manufacture:

DANGER
KEEP OUT OF REACH OF CHILDREN



PLATOON[®]
HERBICIDE

GROUP	C3+F1	HERBICIDE
-------	--------------	-----------

Selective weedkiller for the control of field pansy and other broad-leaved weeds in ryegrass and white clover seed crops

READ THIS BOOKLET COMPLETELY BEFORE MIXING OR APPLYING

Active Ingredients:

25 g/L DIFLUFENICAN and 250 g/L BROMOXYNIL as the octanoate ester in the form of an emulsifiable concentrate

Adama New Zealand Limited
Level 1, 93 Bolt Road
Tahunanui, Nelson 7011
PO Box 1799, Nelson 7040
New Zealand
Telephone 03 543 8275
www.adama.com

NET CONTENTS
1-200 L

ADAMA

READ THIS BOOKLET COMPLETELY BEFORE MIXING OR APPLYING.**HAZARD CLASSIFICATIONS: 3.1D, 6.1D, 6.3A, 6.4A, 6.5B, 6.8A, 6.9B, 9.1A, 9.2A, 9.3B****PCBU RESPONSIBILITIES**

A PCBU with management or control of work using this substance must ensure that every worker who uses, handles, manufactures, or stores this hazardous substance (including hazardous waste) is, before the worker is allowed to carry out or supervise work involving those substances, provided with adequate information, training and instruction. This includes the use of personal protective equipment to be used to minimise risks to the health and safety of workers when carrying out work using this substance.

QUALIFICATIONS REQUIRED FOR APPLICATION OF CLASS 9 SUBSTANCES

Anyone who mixes, loads, or applies this product, either by air or ground based methods, is required to be suitably qualified, or must receive guidance and, if required, assistance from a suitably qualified person. Refer to Schedule 10 of the Hazardous Substances (Hazardous Property Controls) notice 2017 for a list of suitable qualifications.

RECORD KEEPING

Where 3 kg or more of the substance is applied within 24 hours, in a place where the substance is likely to enter air or water and leave the application area, a PCBU with management or control of the substance must ensure that a written record is kept of each application of the substance. Refer to Part 4 Clause 48 of the Hazardous Substances (Hazardous Property Controls) notice 2017 for details of information that must be recorded.

DANGER**Combustible liquid.****Harmful if swallowed or inhaled.****May be harmful in contact with skin.****Causes skin irritation and may cause allergic skin reaction.****Causes serious eye irritation.****May damage fertility or the unborn child.****May cause damage to organs through prolonged or repeated exposure.****ECOTOXICITY**

Very toxic to aquatic life with long lasting effects. Do not apply onto or into water. Avoid contamination of any water supply with product or empty container.

Very toxic to the soil environment.**Toxic to terrestrial vertebrates.****HANDLING PRECAUTIONS**

Keep out of reach of children.

Read the label before use.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not eat, drink or smoke when using this product.

Avoid breathing spray mist or vapours.

Use only outdoors or in a well-ventilated area.

Use personal protective equipment as required.

Contaminated clothing should not be allowed out of the workplace.

EQUIPMENT

A PCBU with management or control of work using this substance must ensure that equipment used to handle this substance retains the substance, without leakage, at all of the temperatures and pressures at which the equipment is to be used; and dispenses or applies the substance, without leakage, at a rate and in a manner that the equipment is designed for. The PCBU must ensure that the equipment is accompanied by documentation that is readily available and readily understandable about the use and maintenance of the equipment.

STORAGE

Store locked up in the original, unopened container in a cool, well-ventilated place out of direct sunlight and away from stockfeed or foodstuffs. In case of fire use water spray, alcohol-resistant foam, dry chemical or carbon dioxide for extinction.

There are requirements when storing this product in a workplace, relating to labelling, safety data sheets, stationary container systems, separation distances, secondary containment, emergency response plans, and signage; and in a place other than a workplace, relating to stationary container

systems, separation distances, emergency response plans, secondary containment, and signage. Secondary containment and emergency response plans are required where greater than 100 L of this product are stored. Refer to the product SDS for further information.

TRANSPORT

Do not carry packs greater than 1L on passenger service vehicles.

SHELF LIFE

When stored appropriately this product should show no significant degradation for two years from the date of manufacture. Contact your supplier for further information about the use of any product that is older than this.

PERSONAL PROTECTION

When mixing or applying wear appropriate protective clothing including cotton overalls buttoned to the neck and wrist, impervious, elbow-length gloves, and eye protection. Remove protective clothing and wash hands, arms and face with soap and water before meals and after work.

SPILLAGE

Exclude all bystanders from the vicinity of the spill and prevent material from entering waterways. Wear appropriate protective clothing as in the personal protection section of this label to clean up spills. Absorb spills with an inert material (such as vermiculite, earth, sand or synthetic absorbent substance) and place in waste containers. Wash area thoroughly and absorb any remaining liquid with further inert material. Dispose of the waste safely in an approved landfill.

DISPOSAL

Container Disposal - Triple rinse empty container and add rinsate to spray tank. Submit clean empty container to an Agrecovery® depot for recycling. Alternatively, burn in an appropriate incinerator if circumstances such as wind direction permit, or puncture and bury in a suitable landfill. Avoid contamination of any water supply with product or empty container.

Product Disposal - Dispose of this product only by using according to the label, or through the Agrecovery® Chemical Recovery service or other approved facility.

FIRST AID

If medical advice is needed, have product container or label to hand.

For advice, or if you feel unwell or are exposed or concerned, contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately.

IF SWALLOWED: Rinse mouth. Call a POISON CENTRE or doctor if you feel unwell.

IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs, get medical attention. Take contaminated clothing off and wash before reuse.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical attention.

IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTRE or doctor if you feel unwell.

SAFETY DATA SHEET

A Safety Data Sheet for this product is available from Adama New Zealand Limited on request. Call 03 543 8275.

PRODUCT INFORMATION

PLATOON is a selective early post emergence weedkiller with short residual activity recommended for the control of field pansy and a wide range of seedling broadleaf weeds in ryegrass and white clover seed crops.

Best results will be obtained if applications are made to actively-growing crops before weeds reach the maximum growth stages specified in the “weeds controlled” table. Autumn applications are generally more effective than winter applications.

When applying PLATOON, care should be taken to minimise the overlapping of spray swaths or overdosing when starting, slowing or stopping the sprayer, since crop damage may occur. Under cool wet conditions, some slight crop yellowing or scorching may occur in ryegrass crops but this is a temporary condition only and will not affect subsequent crop growth or yield.

In white clover crops some temporary crop scorch may occur. Effects are more noticeable if applications are made in warm weather, on large-leaved winter-active cultivars, or on weak plants

growing in very weedy situations. Recovery is usually rapid, and subsequent growth and yield are not affected.

Do not spray under drought conditions, if severe frosts are expected, or if rainfall is expected within 6 hours.

Weeds growing under moisture stress will be less susceptible to treatment. Frosty or cold conditions will slow down and reduce activity on species such as mayweeds, mouse-eared chickweed and field madder.

WEEDS CONTROLLED

WEEDS	PLATOON 1 L/ha	PLATOON 1.5 L/ha
Catchfly	up to 4 leaves	up to 6 leaves
Chickweed	up to 4 leaves	up to 6 leaves
Cornbind	up to 1 leaf	up to 2 leaves
Field Pansy	up to 6 leaves	up to 8 leaves
Groundsel	up to 2 leaves	up to 4 leaves
Hawksbeard*	up to 2 leaves	up to 6 leaves
Hedge Mustard*	up to 2 leaves	up to 6 leaves
Henbit	up to 4 leaves	up to 6 leaves
Mouse-ear Chickweed*	-	up to 2 leaves
Nipplewort*	-	up to 4 leaves
Parsley Piert	up to 2 leaves	up to 4 leaves
Rayless Chamomile*	up to 2 leaves	up to 4 leaves
Shepherds Purse	up to 6 leaves	up to 10 leaves
Sow Thistle	up to 4 leaves	up to 6 leaves
Speedwells*	up to 4 leaves	up to 6 leaves
Spurrey	up to 2 whorls	up to 4 whorls
Staggerweed*	up to 4 leaves	up to 6 leaves
Wireweed	up to 2 leaves	up to 8 leaves

Cleavers*, field madder*, fumitory*, scentless chamomile* and stinking mayweed* will be suppressed by PLATOON at 1.5 L/ha if treated at early growth stages. **NB:** Certain weeds may be less well-controlled in clover than in grass crops due to the lack of crop competition.

* reduced level of control if treated during winter

DIRECTIONS FOR USE

TAKE ALL REASONABLE STEPS TO ENSURE THAT THE SUBSTANCE DOES NOT CAUSE ANY SIGNIFICANT ADVERSE EFFECTS TO THE ENVIRONMENT BEYOND THE APPLICATION AREA.

CROP	RATE	CRITICAL COMMENTS
Ryegrass seed crops	1–1.5 L/ha	Apply after the grass has reached the 2 leaf stage and before weeds reach the maximum growth stages specified in the table below. Use the higher rate on slower growing turf ryegrasses, for certain weeds and for advanced growth stages of all weeds.
White clover seed crops	1.5 L/ha	Apply in late Autumn once clover has developed at least four trifoliate leaves. Weak plants and soft growing cultivars may show temporary damage, but subsequent growth will be unaffected. Treatment in Winter may result in less effective control of some species (see Table).

It is an offence for users of this product to cause residues exceeding the relevant MRL in the Food Notice: Maximum Residue Levels for Agricultural Compounds.

WITHHOLDING PERIOD: 6 Weeks

MIXING

Add the required amount of PLATOON to clean water in the spray tank. Refer to www.adama.com for correct mixing order for all chemicals in the tank. Ensure thorough mixing before spraying.

APPLICATION

Apply through any standard crop sprayer capable of giving uniform coverage at a spray volume of at least 200 L/ha. Increase the water rate as weeds and crop increase in size. Because of the part contact action of the product good uniform spray coverage of target weeds is essential. Use spray pressures of at least 200 kPa and select conventional flat fan nozzles capable of producing fine spray droplets. Take advice before using other nozzle types. CDA or aerial application is not recommended.

COMPATIBILITY

PLATOON is physically compatible with Tropotox[®] Plus and a number of other herbicides, but tank-mixing is not advised unless experience has shown it to be safe. Control of some weed species may be reduced if PLATOON is applied following an application of Spinnaker[®]. Seek advice on the sequential use of these products.

RAINFALL

Do not apply if rainfall is expected within 6 hours of application.

RESISTANCE MANAGEMENT

PLATOON contains the GROUP C3 nitrile herbicide bromoxynil and the GROUP F1 pyridinecarboxamide herbicide diflufenican. Use strictly in accordance with label directions. Naturally occurring weed biotypes resistant to these herbicides can become more prevalent after many years of continuous use. To delay the onset of, or control resistant weeds, use in rotation with herbicides of different mode of action. Since the occurrence of resistant weeds is difficult to detect prior to use Adama New Zealand Ltd accepts no liability for losses that may result from the failure of this product to control resistant weeds. For current advice on resistance management contact your agronomist, Adama representative or specialist advisor.

CONDITIONS OF SALE

Adama New Zealand Limited will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply of these goods other than the responsibility for the merchantable quality of the goods and such responsibilities mandatorily imposed by the Statutes applicable to the sale and supply of these goods. To the extent allowed by such Statutes the liability of Adama New Zealand Limited is limited to the replacement of the goods or (at the option of Adama New Zealand Limited) the refund of the price paid and is conditional upon a claim being made in writing and where possible sufficient part of the goods to enable proper examination being returned to Adama New Zealand Limited within thirty days of delivery.



Registered to and distributed by:
Adama New Zealand Limited
Level 1, 93 Bolt Road
Tahunanui, Nelson 7011
PO Box 1799, Nelson 7040
New Zealand
Telephone 03 543 8275
www.adama.com

Registered pursuant to the ACVM Act 1997, No. P9707
See www.foodsafety.govt.nz for registration conditions

Approved pursuant to the HSNO Act 1996, Approval No. HSR100855
See www.epa.govt.nz for approval controls

PLATOON is a registered trademark of an ADAMA Group Company.
Tropotox Plus is a registered trademark of PGG Wrightson Limited.
Spinnaker is a registered trademark of BASF Agrochemical Products B.V.