



# SAFETY DATA SHEET

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

## Telsee

Revision date 26-Apr-2022

Version 1 Supersedes Date: 26-Apr-2022

Product Code(s)

HRB05039-44

Print Date 26-Apr-2022

SFPE04

9511931

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

**Telsee**

#### Other means of identification

Pure substance/mixture Mixture

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Herbicide; Professional use  
Uses advised against No information available

### 1.3. Details of the supplier of the safety data sheet

Supplier ADAMA Agricultural Solutions UK Ltd  
Third Floor East  
1410 Arlington Business Park  
Theale  
READING  
RG7 4SA  
Tel: 01635 860555  
Fax: 01635 861555

#### For further information, please contact

E-mail address ukenquiries@adama.com

### 1.4. Emergency telephone number

Emergency Telephone National Chemical Emergency Centre (UK):  
Tel: 01865 407333 (24 hours)

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 1 - (H318)
Chronic aquatic toxicity	Category 2 - (H411)
Corrosive to metals	Category 1 - (H290)

### 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Contains Ethephon

### Hazard pictograms



### Signal word

Danger

### Hazard statements

H315 - Causes skin irritation  
H318 - Causes serious eye damage  
H411 - Toxic to aquatic life with long lasting effects  
H290 - May be corrosive to metals

### Precautionary Statements

P102 - Keep out of reach of children  
P280 - Wear protective gloves/protective clothing/eye protection/face protection  
P302 + P352 - IF ON SKIN: Wash with plenty of water and soap  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P390 - Absorb spillage to prevent material damage  
P501 - Dispose of contents/ container to an approved waste disposal plant

### EU Specific Hazard Statements

EUH401 - To avoid risks to human health and the environment, comply with the instructions for use

### Additional phrases for PPP

SP1 - Do not contaminate water with the product or its container (Do not clean application equipment near surface water/Avoid contamination via drains from farmyards and roads).

### 2.3. Other hazards

#### PBT & vPvB

The product does not contain any substance(s) classified as PBT or vPvB.

#### Endocrine Disruptor Information

None known.

#### Persistent Organic Pollutants

Not applicable.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not applicable

### 3.2 Mixtures

Chemical name	CAS No	EC No	Index No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	REACH Registration Number
Ethephon	16672-87-0	240-718-3	015-154-00-4	37 - 42	Acute Tox. 3 (H311) Acute Tox. 4 (H332) Acute Tox. 4			No data available

					(H302) Skin Corr. 1C (H314) Aquatic Chronic 2 (H411) EUH071			
--	--	--	--	--	---	--	--	--

Acute toxicity estimates (ATEs) according to Part 3 of Annex VI to Regulation (EC) No 1272/2008 are indicated in this table, if available.

Full text of H- and EUH-phrases: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

<b>General advice</b>	In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). First aider: Pay attention to self-protection.
<b>Inhalation</b>	Remove to fresh air. If breathing is irregular or stopped, administer artificial respiration. Call a doctor.
<b>Eye contact</b>	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. Get medical attention immediately if symptoms occur.
<b>Skin contact</b>	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Consult a doctor if necessary.
<b>Ingestion</b>	Rinse mouth. Drink plenty of water. If symptoms persist, call a doctor.
<b>Self-protection of the first aider</b>	Use personal protective equipment as required.

### 4.2. Most important symptoms and effects, both acute and delayed

<b>Symptoms</b>	None known.
-----------------	-------------

### 4.3. Indication of any immediate medical attention and special treatment needed

<b>Note to doctors</b>	Treat symptomatically.
------------------------	------------------------

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

<b>Suitable Extinguishing Media</b>	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
<b>Small Fire</b>	Dry chemical, CO2 or water spray
<b>Large Fire</b>	Move containers from fire area if you can do it without risk Dyke fire control water for later disposal; do not scatter the material Dry chemical, CO2, alcohol-resistant foam or water spray
<b>Unsuitable extinguishing media</b>	Do not scatter spilled material with high pressure water streams.

### 5.2. Special hazards arising from the substance or mixture

<b>A fire or explosion</b>	Combustible material: may burn but does not ignite readily Contact with metals may evolve flammable hydrogen gas
----------------------------	---

**Specific hazards arising from the chemical**

When heated, vapours may form explosive mixtures with air: indoors, outdoors and sewers explosion hazards  
Run-off may pollute waterways  
Containers may explode when heated  
No information available.

### 5.3. Advice for firefighters

**Special protective equipment for fire-fighters** Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

## **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required.

**Health risk** Fire may produce irritating, corrosive and/or toxic gases  
Contact with molten substance may cause severe burns to skin and eyes  
TOXIC; inhalation, ingestion or skin contact with material may cause severe injury or death  
Run-off from fire control or dilution water may be corrosive and/or toxic and cause pollution  
Effects of contact or inhalation may be delayed  
Avoid any skin contact

**Spill or leak statements** Prevent entry into waterways, sewers, basements or confined areas  
ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area)  
Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers  
Do not touch damaged containers or spilled material unless wearing appropriate protective clothing  
Stop leak if you can do it without risk  
DO NOT GET WATER INSIDE CONTAINERS  
Refer to protective measures listed in Sections 7 and 8.

**Other information**

**For emergency responders** Use personal protection recommended in Section 8.

### 6.2. Environmental precautions

**Environmental precautions** Prevent further leakage or spillage if safe to do so.

Incineration If tank, rail car or tank truck is involved in a fire, ISOLATE for 800 metres (1/2 mile) in all directions; also, consider initial evacuation for 800 metres (1/2 mile) in all directions

Spill Increase, in the downwind direction, as necessary, the isolation distance shown under "Public safety"

### 6.3. Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Take up mechanically, placing in appropriate containers for disposal.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

### 6.4. Reference to other sections

**Reference to other sections** See section 8 for more information. See section 13 for more information.

## **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

**Advice on safe handling** Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash it before reuse.

**General hygiene considerations** Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other materials.

### 7.3. Specific end use(s)

#### **Identified uses**

**Risk Management Methods (RMM)** The information required is contained in this Safety Data Sheet.

## **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

**Exposure Limits** This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

<b>Chemical name</b>	<b>United Kingdom</b>
Propylene Glycol 57-55-6	TWA: 150 ppm TWA: 474 mg/m <sup>3</sup> TWA: 10 mg/m <sup>3</sup> STEL: 450 ppm STEL: 1422 mg/m <sup>3</sup> STEL: 30 mg/m <sup>3</sup>

**Derived No Effect Level (DNEL)** No information available.

**Predicted No Effect Concentration (PNEC)** No information available.

### 8.2. Exposure controls

**Engineering controls** Ensure adequate ventilation, especially in confined areas.

**Personal protective equipment  
Eye/face protection**

Tight sealing safety goggles.

**Hand protection**

Suitable chemical resistant gloves (EN 374) also with prolonged, direct contact (recommendation: protection index 6, corresponding > 480 minutes Permeability time (permeation) according to EN 374): e.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm).

**Skin and body protection**

Use suitable protective clothing and equipment if required, such as safety goggles certified to EN 166, gloves certified to EN 374, protective boots certified to EN 13832, and/or a water repellent woven coverall with 65% polyester and 35 % cotton.

**Respiratory protection**

In case of insufficient ventilation, wear suitable respiratory equipment.

**General hygiene considerations**

Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing.

**Environmental exposure controls** Local authorities should be advised if significant spillages cannot be contained.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

<u>Property</u>	<u>Values</u>	<u>Method</u>	<u>Remarks</u>
<b>Appearance</b>			
Physical state	: liquid		
Colour	: clear yellow		
Odour	: Slight		
<b>Odour threshold</b>	: No data available		
pH	: 1.7 - 2.0	CIPAC MT 75.3	@ 20.8 °C; 1 %
<b>Melting point / freezing point</b> °C	: No data available		
<b>Boiling point / boiling range</b> °C	: No data available		
<b>Flash point</b> °C	: ----		aqueous solution
<b>Evaporation rate</b>	: No data available		
<b>Flammability (solid, gas)</b>	: Not applicable		
<b>Upper/lower flammability or explosive limits</b>	: No data available		
<b>Vapour pressure</b> kPa	: No data available		
<b>Vapour density</b>	: No data available		
<b>Relative density</b>	: 1.19 - 1.23	A.3	approx 20° C
<b>Solubility(ies)</b> mg/l	: No data available		
<b>Partition coefficient Log Pow</b>	:		See Section 12 for additional Ecological Information
<b>Autoignition temperature</b> °C	: 454	EEC A.15	
<b>Decomposition temperature</b> °C	: No data available		
<b>Kinematic viscosity</b> mm <sup>2</sup> /s 40 °C	: 5900	OECD 114	
<b>Surface tension</b>	: No data available		
<b>Particle Size</b>	: Not applicable		

### 9.2. Other information

**Bulk density** g/ml : Not applicable

#### 9.2.1. Information with regards to physical hazard classes

**Explosive properties** : Not an explosive

**Oxidising properties** : Not oxidizing

#### 9.2.2. Other safety characteristics

No information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

**Reactivity** No information available.

### 10.2. Chemical stability

**Stability** Stable under normal conditions.

#### Explosion data

**Sensitivity to mechanical impact** None.

**Sensitivity to static discharge** None.

### 10.3. Possibility of hazardous reactions

**Possibility of hazardous reactions** None under normal processing.

#### **10.4. Conditions to avoid**

**Conditions to avoid** Exposure to air or moisture over prolonged periods.

#### **10.5. Incompatible materials**

**Incompatible materials** Oxidising agent. Strong acids. Strong bases.

#### **10.6. Hazardous decomposition products**

**Hazardous decomposition products** None known based on information supplied.

### **SECTION 11: Toxicological information**

#### **11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

##### **Acute toxicity**

	<u>Values</u>	<u>Species</u>	<u>Method</u>	<u>Remarks</u>
<b>Oral LD50 mg/kg</b>	: > 2000	Rat	OECD 401	
<b>Dermal LD50 mg/kg</b>	: > 2000	Rat	OECD 402	
<b>Inhalation LC50 mg/l</b>	: > 5			ATEmix
<b>Skin corrosion/irritation</b>	: Irritating to skin	Rabbit	OECD 404	
<b>Serious eye damage/eye irritation</b>	: Causes serious eye damage	Rabbit	OECD 405	
<b>Sensitisation</b>	: Not a skin sensitiser	Guinea pig	OECD 406	

##### **Chronic toxicity**

###### **Germ cell mutagenicity**

###### **Chemical name**

Ethephon : Not classified

###### **Carcinogenicity**

###### **Chemical name**

Ethephon : Not Carcinogenic

###### **Reproductive toxicity**

###### **Chemical name**

Ethephon : Not toxic for the reproductive system

###### **STOT - Single Exposure**

###### **Chemical name**

Ethephon : May cause respiratory irritation

###### **STOT - Repeated Exposure**

###### **Chemical name**

Ethephon : Not classified

###### **Aspiration hazard**

###### **Chemical name**

Ethephon : No data available

#### **11.2. Information on other hazards**

##### **11.2.1. Endocrine disrupting properties**

**Endocrine disrupting properties** No information available.

### 11.2.2. Other information

#### Other adverse effects

No information available.

## SECTION 12: Ecological information

### 12.1. Toxicity

<u>Acute toxicity</u>	<u>Values</u>	<u>Species</u>	<u>Method</u>	<u>Remarks</u>
Fish 96-hour LC50 mg/l	: > 100	Oncorhynchus mykiss	OECD 203	
Crustacea 48-hour EC50 mg/l	: > 100	Daphnia magna	OECD 202	
Algae 72-hour EC50 mg/l	: > 68	D. Subspicatus	OECD 201	
Other plants EC50 mg/l	: > 100	Lemna gibba	OECD 221	

<u>Chronic aquatic toxicity</u>	<u>Values</u>	<u>Species</u>	<u>Method</u>	<u>Remarks</u>
Fish NOEC mg/l	: No data available			
Crustacea NOEC mg/l	: No data available			
Algae NOEC mg/l	: No data available			
Other plants NOEC mg/l	: No data available			

#### Terrestrial Toxicity

##### Birds Oral LD50 mg/kg

###### Chemical name

Ethephon : 1212 Bobwhite quail

##### Bees Oral LD50 µg/bee

###### Chemical name

Ethephon : > 100

### 12.2. Persistence and degradability

#### Abiotic Degradation

##### Water DT50 days

###### Chemical name

Ethephon : 1.51

##### Soil DT50 days

###### Chemical name

Ethephon : 9.18 RAPID

#### Biodegradation

###### Chemical name

Ethephon : Not readily biodegradable

### 12.3. Bioaccumulative potential

#### Partition Coefficient

##### (n-octanol/water) Log Pow

###### Chemical name

<u>Values</u>	<u>Method</u>	<u>Remarks</u>
Ethephon : -1.89		pH 7

#### Bioconcentration factor (BCF)

###### Chemical name

Ethephon : -----

### 12.4. Mobility in soil

#### Adsorption/Desorption

###### Chemical name

<u>Values</u>	<u>Method</u>	<u>Remarks</u>
Ethephon : No information available		KOC

### 12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB

### 12.6. Endocrine disrupting properties



**Endocrine disrupting properties** No information available.

**12.7. Other adverse effects**

No information available.

**SECTION 13: Disposal considerations**

**13.1. Waste treatment methods**

**Waste from residues/unused products** Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

**Contaminated packaging** Improper disposal or reuse of this container may be dangerous and illegal.

**Other information** Waste codes should be assigned by the user based on the application for which the product was used.

**SECTION 14: Transport information**

**ADR**

**14.1 UN number** UN3265  
**14.2 UN proper shipping name** CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.  
**14.3 Transport hazard class(es)** 8  
**14.4 Packing group** III  
**Description** UN3265, CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S., 8, III, (E), Environmentally Hazardous  
**14.5 Environmental hazard** Yes  
**14.6 Special Precautions for Users**  
**Special Provisions** 274  
**Classification code** C3  
**Tunnel restriction code** (E)

**RID**

**14.1 UN number** UN3265  
**14.2 UN proper shipping name** CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.  
**14.3 Transport hazard class(es)** 8  
**14.4 Packing group** III  
**Description** UN3265, CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S., 8, III, Environmentally Hazardous  
**Environmental hazard** Yes  
**Special Precautions for Users**  
**14.5 Environmental hazard** Yes  
**14.6 Special Precautions for Users**  
**Special Provisions** 274  
**Classification code** C3

**IMDG**

**14.1 UN number** UN3265  
**14.2 UN proper shipping name** CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.  
**14.3 Transport hazard class(es)** 8  
**14.4 Packing group** III  
**Description** UN3265, CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Ethephon), 8, III, (0°C C.C.), Marine pollutant  
**14.5 Environmental hazard** Yes  
**14.6 Special Precautions for Users**  
**14.5 Marine pollutant** P  
**Environmental hazard** Yes  
**14.6 Special Precautions for Users**  
**Special Provisions** 223, 274  
**EmS-No** F-A, S-B  
**IMDG Stowage and segregation** Category A SW2

15486  
14.7 Maritime transport in bulk according to IMO instruments

SGG1 SG36 SG49 No information available  
No information available

**IATA**

14.1 UN number UN3265  
14.2 UN proper shipping name CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.  
14.3 Transport hazard class(es) 8  
14.4 Packing group III  
Description UN3265, CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S., 8, III  
14.5 Environmental hazard Yes  
14.6 Special Precautions for Users  
Special Provisions A3, A803  
ERG Code 8L



**SECTION 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Trade name / designation	Registration Number(s)	Date
Not Applicable	Not Applicable	Not Applicable

**European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

**Authorisations and/or restrictions on use:**

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

**Persistent Organic Pollutants**

Not applicable

**15.2. Chemical safety assessment**

**Chemical Safety Report** A risk assessment was performed according to directive (EC) No. 91/414 or according to regulation (EC) No. 1107/2009

**SECTION 16: Other information**

**Key or legend to abbreviations and acronyms used in the safety data sheet**

Full text of H-Statements referred to under section 3

H302 - Harmful if swallowed  
H311 - Toxic in contact with skin  
H314 - Causes severe skin burns and eye damage  
H332 - Harmful if inhaled  
H411 - Toxic to aquatic life with long lasting effects

#### Legend

SVHC: Substances of Very High Concern for Authorisation:

#### Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation

**Revision date** 26-Apr-2022

**Reason for revision** Changes made to the last version are labeled with this sign \*\*\*

#### Abbreviations and acronyms

ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road  
ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
CAS Number - Chemical Abstracts Service number  
EC Number - EINECS and ELINCS Number  
EINECS - European Inventory of Existing Commercial Substances  
ELINCS - European List of notified Chemical Substances  
IATA - International Air Transport Association  
ICAO-TI - Technical Instructions for the Safe Transport of Dangerous Goods by Air  
IMDG - International Maritime Dangerous Goods  
LC50 - Lethal Concentration to 50 % of a test population  
LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose)  
OECD - Organization for Economic Co-operation and Development  
PBT - Persistent, Bioaccumulative and Toxic substance  
RID - Regulations concerning the International Carriage of Dangerous Goods by Rail  
STOT - Specific Target Organ Toxicity  
vPvB - Very Persistent and Very Bioaccumulative

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

##### Classification of the mixture

H315 - Causes skin irritation  
H318 - Causes serious eye damage  
H411 - Toxic to aquatic life with long lasting effects

##### Classification procedure

Classification based on test data  
Classification based on test data  
Classification based on Calculation method

**This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006**

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**