

### **Key Benefits**

- Provides excellent annual meadow-grass as well as broad-leaved weed control
- A useful tank mix partner for black-grass control
- Tank mix flexibility

# **Crop Information**

Crop	Max individual dose (L/ha)	Maximum number of treatments (per crop)	Latest time of application
Winter wheat, Winter barley	2.5	1	Before leaf sheath erect stage (GS 30)
Winter rye, Winter triticale	2.5	1	Up to 4 true leaves (GS 14)
Spring wheat, Spring barley	2.5	1	Before leaf sheath erect stage (GS 30)

# **Product Information**

#### Active ingredients:

40g/L diffufenican 400g/L pendimethalin

### Formulation:

Suspension Concentrate

Pack size: 10 litres

### **Application Information**

Water volume: 150-200L/ha
Spray quality: Medium

**Aquatic buffer:** 6 metres

**Weed Spectrum** 

Weed	Pre – emergence 2.5L/ha	Post emergence 2.0L/ha (up to 1 true leaf stage)	Post emergence 2.5L/ha (up to 1 true leaf stage)
Annual meadow-grass	S	-	-
Black – bindweed	S	MR	MS
Cleavers	S	MS	S
Common chickweed	S	S	S
Common poppy	MS	S	S
Field pansy	S	S	S
Field penny-cress	S	-	-
Mayweeds	S	MS	S
Red deadnettle	S	S	S
Redshank	S	S	S
Shepherd's purse	S	S	S
_oose silky - bent	S	MS	S
Smooth sowthistle	MS	-	-
Speedwell	S	S	S
Volunteer oilseed rape*	S	-	-

<sup>\*</sup>Deep germinating volunteer oilseed rape may not be controlled.